

GEPHE SUMMARY

VvMYBA3 (https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=~VvMYBA3^#gephebase-summary-title)	Gephebase Gene	GP00001196	GepheID
Published	Entry Status	Martin	Main curator

PHENOTYPIC CHANGE

Morphology (https://www.gephebase.org/search-criteria?/and+Trait+Category=~Morphology^#gephebase-summary-title)	Trait Category		
Coloration (fruit) (https://www.gephebase.org/search-criteria?/and+Trait=~Coloration+(fruit)^#gephebase-summary-title)	Trait		
Vitis vinifera - Syrah	Trait State in Taxon A		
Vitis vinifera - Grenache with white berries	Trait State in Taxon B		
Data not curated	Ancestral State		
Domesticated (https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=~Domesticated^#gephebase-summary-title)	Taxonomic Status		
	Taxon A		Taxon B
Vitis vinifera (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Vitis+vinifera^#gephebase-summary-title)	Latin Name	Vitis vinifera (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Vitis+vinifera^#gephebase-summary-title)	Latin Name
wine grape	Common Name	wine grape	Common Name
Vitis vinifera subsp. vinifera; wine grape; Vitis vinifera L.	Synonyms	Vitis vinifera subsp. vinifera; wine grape; Vitis vinifera L.	Synonyms
species	Rank	species	Rank
cellular organisms; Eukaryota; Viridiplantae; Streptophyta; Streptophytina; Embryophyta; Tracheophyta; Euphyllophyta; Spermatophyta; Magnoliophyta; Mesangiospermae; eudicotyledons; Gunneridae; Pentapetalae; rosids; rosids incertae sedis; Vitales; Vitaceae; Viteae; Vitis	Lineage	cellular organisms; Eukaryota; Viridiplantae; Streptophyta; Streptophytina; Embryophyta; Tracheophyta; Euphyllophyta; Spermatophyta; Magnoliophyta; Mesangiospermae; eudicotyledons; Gunneridae; Pentapetalae; rosids; rosids incertae sedis; Vitales; Vitaceae; Viteae; Vitis	Lineage
Vitis () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3603)	Parent	Vitis () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3603)	Parent
29760 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=29760)	NCBI Taxonomy ID	29760 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=29760)	NCBI Taxonomy ID
Yes	is Taxon A an Intraspecies?	Yes	is Taxon B an Intraspecies?
Vitis vinifera - Syrah	Taxon A Description	Vitis vinifera - Grenache	Taxon B Description

GENOTYPIC CHANGE

VvmybA3	Generic Gene Name	Q6L9M7 (http://www.uniprot.org/uniprot/Q6L9M7)	UniProtKB Vitis vinifera
MybA3; MYBA3; VIT_02s0033g00450	Synonyms	FN596505 (https://www.ncbi.nlm.nih.gov/nucleotide/FN596505)	GenebankID or UniProtKB
29760.VIT_02s0033g00450.t01 (http://string-db.org/newstring.cgi/show_network_section.pl?identifier=29760.VIT_02s0033g00450.t01)	String		
-	Sequence Similarities		
GO:0043565 : sequence-specific DNA binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043565)	GO - Molecular Function		
GO:0044212 : transcription regulatory region DNA binding (https://www.ebi.ac.uk/QuickGO/term/GO:0044212)	GO - Biological Process		

GO:0030154 : cell differentiation (<https://www.ebi.ac.uk/QuickGO/term/GO:0030154>)

GO - Cellular Component

GO:0005634 : nucleus (<https://www.ebi.ac.uk/QuickGO/term/GO:0005634>)

Presumptive Null

No (<https://www.gephebase.org/search-criteria?/and+Presumptive+Null=~No~#gephebase-summary-title>)

Molecular Type

Cis-regulatory (<https://www.gephebase.org/search-criteria?/and+Molecular+Type=~Cis-regulatory~#gephebase-summary-title>)

Aberration Type

SNP (<https://www.gephebase.org/search-criteria?/and+Aberration+Type=~SNP~#gephebase-summary-title>)

Molecular Details of the Mutation

Substitution in promoter

Experimental Evidence

Linkage Mapping (<https://www.gephebase.org/search-criteria?/and+Experimental+Evidence=~Linkage+Mapping~#gephebase-summary-title>)

Main Reference

Quantitative genetic bases of anthocyanin variation in grape (*Vitis vinifera* L. ssp. *sativa*) berry: a quantitative trait locus to quantitative trait nucleotide integrated study. (2009) (<https://pubmed.ncbi.nlm.nih.gov/19720862>)

Authors

Fournier-Level A; Le Cunff L; Gomez C; Doligez A; Ageorges A; Roux C; Bertrand Y; Souquet JM; Cheynier V; This P

Abstract

The combination of QTL mapping studies of synthetic lines and association mapping studies of natural diversity represents an opportunity to throw light on the genetically based variation of quantitative traits. With the positional information provided through quantitative trait locus (QTL) mapping, which often leads to wide intervals encompassing numerous genes, it is now feasible to directly target candidate genes that are likely to be responsible for the observed variation in completely sequenced genomes and to test their effects through association genetics. This approach was performed in grape, a newly sequenced genome, to decipher the genetic architecture of anthocyanin content. Grapes may be either white or colored, ranging from the lightest pink to the darkest purple tones according to the amount of anthocyanin accumulated in the berry skin, which is a crucial trait for both wine quality and human nutrition. Although the determinism of the white phenotype has been fully identified, the genetic bases of the quantitative variation of anthocyanin content in berry skin remain unclear. A single QTL responsible for up to 62% of the variation in the anthocyanin content was mapped on a Syrah x Grenache F(1) pseudo-testcross. Among the 68 unigenes identified in the grape genome within the QTL interval, a cluster of four Myb-type genes was selected on the basis of physiological evidence (VvMybA1, VvMybA2, VvMybA3, and VvMybA4). From a core collection of natural resources (141 individuals), 32 polymorphisms revealed significant association, and extended linkage disequilibrium was observed. Using a multivariate regression method, we demonstrated that five polymorphisms in VvMybA genes except VvMybA4 (one retrotransposon, three single nucleotide polymorphisms and one 2-bp insertion/deletion) accounted for 84% of the observed variation. All these polymorphisms led to either structural changes in the MYB proteins or differences in the VvMybAs promoters. We concluded that the continuous variation in anthocyanin content in grape was explained mainly by a single gene cluster of three VvMybA genes. The use of natural diversity helped to reduce one QTL to a set of five quantitative trait nucleotides and gave a clear picture of how isogenes combined their effects to shape grape color. Such analysis also illustrates how isogenes combine their effect to shape a complex quantitative trait and enables the definition of markers directly targeted for upcoming breeding programs.

Additional References

RELATED GEPHE

Related Genes

3 (VvMYBA1, VvMybA1 VvMybA2 VvMybA3 and VvMybA4, VvMYBA2) (<https://www.gephebase.org/search-criteria?/or+Taxon+ID=~29760~/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title>)

Related Haplotypes

No matches found.

EXTERNAL LINKS

COMMENTS