

GEPHE SUMMARY

<p>WntA (https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=~WntA^#gephebase-summary-title)</p> <p>Published</p>	<p>Gephebase Gene</p> <p>Entry Status</p>	<p>GP00001214</p> <p>Martin</p>	<p>GepheID</p> <p>Main curator</p>
--	---	---------------------------------	------------------------------------

PHENOTYPIC CHANGE

<p>Morphology (https://www.gephebase.org/search-criteria?/and+Trait+Category=~Morphology^#gephebase-summary-title)</p> <p>Coloration (wing, Mullerian mimicry) (https://www.gephebase.org/search-criteria?/and+Trait=~Coloration+(wing,+Mullerian+mimicry)^#gephebase-summary-title)</p> <p>Heliconius melpomene melpomene (Low-land morph)- no "Ac" melanic patch in discal cell</p> <p>Heliconius melpomene malleti (Peruvian Amazon) -"Ac" melanic patch in discal cell</p> <p>Unknown</p> <p>Intraspecific (https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=~Intraspecific^#gephebase-summary-title)</p>	<p>Trait Category</p> <p>Trait</p> <p>Trait State in Taxon A</p> <p>Trait State in Taxon B</p> <p>Ancestral State</p> <p>Taxonomic Status</p>	<p>Taxon A</p> <p>Heliconius melpomene (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Heliconius+melpomene^#gephebase-summary-title)</p> <p>postman butterfly</p> <p>postman butterfly; common postman; Heliconius melpomene (Linnaeus, 1758)</p> <p>species</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Amphimesnoptera; Lepidoptera; Glossata; Neolepidoptera; Heteroneura; Ditrysia; Obtectomera; Papilionoidea; Nymphalidae; Heliconiinae; Heliconiini; Heliconius</p> <p>Heliconius () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=33416)</p> <p>34740 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=34740)</p> <p>is Taxon A an Intraspecies?</p> <p>Yes</p> <p>Taxon A Description</p> <p>Heliconius melpomene melpomene (Low-land morph)- no "Ac" melanic patch in discal cell</p>	<p>Taxon B</p> <p>Heliconius melpomene (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Heliconius+melpomene^#gephebase-summary-title)</p> <p>postman butterfly</p> <p>postman butterfly; common postman; Heliconius melpomene (Linnaeus, 1758)</p> <p>species</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Amphimesnoptera; Lepidoptera; Glossata; Neolepidoptera; Heteroneura; Ditrysia; Obtectomera; Papilionoidea; Nymphalidae; Heliconiinae; Heliconiini; Heliconius</p> <p>Heliconius () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=33416)</p> <p>34740 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=34740)</p> <p>is Taxon B an Intraspecies?</p> <p>Yes</p> <p>Taxon B Description</p> <p>Heliconius melpomene malleti (Peruvian Amazon) -"Ac" melanic patch in discal cell</p>	<p>Latin Name</p> <p>Latin Name</p> <p>Common Name</p> <p>Common Name</p> <p>Synonyms</p> <p>Synonyms</p> <p>Rank</p> <p>Rank</p> <p>Lineage</p> <p>Lineage</p> <p>Parent</p> <p>Parent</p> <p>NCBI Taxonomy ID</p> <p>NCBI Taxonomy ID</p>
---	---	---	---	---

GENOTYPIC CHANGE

<p>WntA</p> <p>-</p> <p>-</p> <p>Belongs to the Wnt family.</p> <p>GO:0005102 : signaling receptor binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005102)</p> <p>GO:0007275 : multicellular organism development (https://www.ebi.ac.uk/QuickGO/term/GO:0007275)</p> <p>GO:0016055 : Wnt signaling pathway</p>	<p>Generic Gene Name</p> <p>Synonyms</p> <p>String</p> <p>Sequence Similarities</p> <p>GO - Molecular Function</p> <p>GO - Biological Process</p>	<p>A0A077DF90 (http://www.uniprot.org/uniprot/A0A077DF90)</p> <p>0</p> <p>UniProtKB Vanessa cardui</p> <p>GenebankID or UniProtKB</p>
---	---	---

(<https://www.ebi.ac.uk/QuickGO/term/GO:0016055>)

GO - Cellular Component

GO:0005576 : extracellular region (<https://www.ebi.ac.uk/QuickGO/term/GO:0005576>)

Presumptive Null

No ([https://www.gephebase.org/search-criteria?/and+Presumptive Null=~No~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Presumptive+Null=~No~#gephebase-summary-title))

Molecular Type

Cis-regulatory ([https://www.gephebase.org/search-criteria?/and+Molecular Type=~Cis-regulatory~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Molecular+Type=~Cis-regulatory~#gephebase-summary-title))

Aberration Type

Unknown ([https://www.gephebase.org/search-criteria?/and+Aberration Type=~Unknown~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Aberration+Type=~Unknown~#gephebase-summary-title))

Molecular Details of the Mutation

unknown ; non-coding with effect on spatial gene expression

Experimental Evidence

Linkage Mapping ([https://www.gephebase.org/search-criteria?/and+Experimental Evidence=~Linkage Mapping~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Experimental+Evidence=~Linkage+Mapping~#gephebase-summary-title))

Main Reference

Diversification of complex butterfly wing patterns by repeated regulatory evolution of a Wnt ligand. (2012) (<https://pubmed.ncbi.nlm.nih.gov/22802635>)

Authors

Martin A; Papa R; Nadeau NJ; Hill RI; Counterman BA; Halder G; Jiggins CD; Kronforst MR; Long AD; McMillan WO; Reed RD

Abstract

Although animals display a rich variety of shapes and patterns, the genetic changes that explain how complex forms arise are still unclear. Here we take advantage of the extensive diversity of *Heliconius* butterflies to identify a gene that causes adaptive variation of black wing patterns within and between species. Linkage mapping in two species groups, gene-expression analysis in seven species, and pharmacological treatments all indicate that cis-regulatory evolution of the WntA ligand underpins discrete changes in color pattern features across the *Heliconius* genus. These results illustrate how the direct modulation of morphogen sources can generate a wide array of unique morphologies, thus providing a link between natural genetic variation, pattern formation, and adaptation.

Additional References

RELATED GEPHE

Related Genes

2 (cortex, Optix) ([https://www.gephebase.org/search-criteria?/or+Taxon ID=~34740~/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title](https://www.gephebase.org/search-criteria?/or+Taxon+ID=~34740~/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title))

Related Haplotypes

No matches found.

EXTERNAL LINKS

COMMENTS

Mimicry