GEPHE SUMMARY

Gephebase Gene
Na/K ATPase (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^Na/K ATPase^#gephebase-summary-title)

GepheID
GP00001377

Entry Status
Published

Main curator
Prigent

PHENOTYPIC CHANGE

Trait Category
Physiology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Physiology^#gephebase-summary-title)

Trait
Salt tolerance (https://www.gephebase.org/search-criteria?/and+Trait=^Salt tolerance^#gephebase-summary-title)

Trait State in Taxon A
Threespined stickleback fish ; marine habitat

Trait State in Taxon B
Threespined stickleback fish ; freshwater habitat

Ancestral State
Unknown

Taxonomic Status
Intraspecific (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Intraspecific^#gephebase-summary-title)

Taxon A

Latin Name
Gasterosteus aculeatus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Gasterosteus aculeatus^#gephebase-summary-title)

Common Name
three-spined stickleback

Synonyms
three-spined stickleback; three spined stickleback; Gasterosteus aculeatus Linnaeus, 1758

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Actinopterygii; Actinopteri; Neopterygii; Teleostei; Osteoglossocephalai; Clupeocephala; Euteleosteomorpha; Neoteleostei; Eurypterygia; Ctenosquamata; Acanthomorphata; Euacanthomorphacea; Percomorphaceae; Eupercaria; Perciformes; Cottioidei; Gasterosteales; Gasterosteidae; Gasterosteus

Parent
Gasterosteus () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 69292)

NCBI Taxonomy ID
69293 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 69293)

is Taxon A an Infraspecies?
Yes

Taxon A Description
Threespined stickleback fish ; marine habitat

Taxon B

Latin Name
Gasterosteus aculeatus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Gasterosteus aculeatus^#gephebase-summary-title)

Common Name
three-spined stickleback

Synonyms
three-spined stickleback; three spined stickleback; Gasterosteus aculeatus Linnaeus, 1758

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Actinopterygii; Actinopteri; Neopterygii; Teleostei; Osteoglossocephalai; Clupeocephala; Euteleosteomorpha; Neoteleostei; Eurypterygia; Ctenosquamata; Acanthomorphata; Euacanthomorphacea; Percomorphaceae; Eupercaria; Perciformes; Cottioidei; Gasterosteales; Gasterosteidae; Gasterosteus

Parent
Gasterosteus () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 69292)

NCBI Taxonomy ID
69293 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 69293)

is Taxon B an Infraspecies?
Yes

Taxon B Description
Threespined stickleback fish ; freshwater habitat

GENOTYPIC CHANGE

Generic Gene Name
ATP1A1

Synonyms
CMT2DD

String
9606.ENSP00000295598 (http://string-db.org/newstring_cgi/show_network_section.pl?identifier=9606.ENSP00000295598)

Sequence Similarities
Belongs to the cation transport ATPase (P-type) (TC 3.A.3) family. Type IIC subfamily.

GO - Molecular Function
GO:0005524 : ATP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005524)
GO:0043531 : ADP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043531)
GO:0019901 : protein kinase binding (https://www.ebi.ac.uk/QuickGO/term/GO:0019901)

UniProtKB Homo sapiens
P05023 (http://www.uniprot.org/uniprot/P05023)

GenebankID or UniProtKB
()

GO:0043548 : phosphatidylinositol 3-kinase binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0043548)
GO:0005391 : sodium:potassium-exchanging ATPase activity
(https://www.ebi.ac.uk/QuickGO/term/GO:0005391)
GO:0051087 : chaperone binding (https://www.ebi.ac.uk/QuickGO/term/GO:0051087)
GO:0019904 : protein domain specific binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0019904)
GO:0030506 : ankyrin binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030506)
GO:0016791 : phosphatase activity (https://www.ebi.ac.uk/QuickGO/term/GO:0016791)
GO:0030955 : potassium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030955)
GO:0031402 : sodium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0031402)
GO:1990239 : steroid hormone binding
(https://www.ebi.ac.uk/QuickGO/term/GO:1990239)

GO - Biological Process

GO:0071383 : cellular response to steroid hormone stimulus
(https://www.ebi.ac.uk/QuickGO/term/GO:0071383)
GO:0071260 : cellular response to mechanical stimulus
(https://www.ebi.ac.uk/QuickGO/term/GO:0071260)
GO:0042493 : response to drug (https://www.ebi.ac.uk/QuickGO/term/GO:0042493)
GO:0008217 : regulation of blood pressure
(https://www.ebi.ac.uk/QuickGO/term/GO:0008217)
GO:0015991 : ATP hydrolysis coupled proton transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0015991)
GO:0030007 : cellular potassium ion homeostasis
(https://www.ebi.ac.uk/QuickGO/term/GO:0030007)
GO:0006883 : cellular sodium ion homeostasis
(https://www.ebi.ac.uk/QuickGO/term/GO:0006883)
GO:1990573 : potassium ion import across plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:1990573)
GO:0036376 : sodium ion export across plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0036376)
GO:0086013 : membrane repolarization during cardiac muscle cell action potential
(https://www.ebi.ac.uk/QuickGO/term/GO:0086013)
GO:0060081 : membrane hyperpolarization
(https://www.ebi.ac.uk/QuickGO/term/GO:0060081)
GO:0086009 : membrane repolarization
(https://www.ebi.ac.uk/QuickGO/term/GO:0086009)
GO:0031947 : negative regulation of glucocorticoid biosynthetic process
(https://www.ebi.ac.uk/QuickGO/term/GO:0031947)
GO:0045822 : negative regulation of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045822)
GO:0045823 : positive regulation of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045823)
GO:0045989 : positive regulation of striated muscle contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045989)
GO:0086004 : regulation of cardiac muscle cell contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0086004)
GO:0002028 : regulation of sodium ion transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0002028)
GO:0002026 : regulation of the force of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0002026)
GO:0055119 : relaxation of cardiac muscle
(https://www.ebi.ac.uk/QuickGO/term/GO:0055119)
GO:0086002 : cardiac muscle cell action potential involved in contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0086002)
GO:0086064 : cell communication by electrical coupling involved in cardiac conduction
(https://www.ebi.ac.uk/QuickGO/term/GO:0086064)
GO:1903416 : response to glycoside (https://www.ebi.ac.uk/QuickGO/term/GO:1903416)

GO - Cellular Component

GO:0016021 : integral component of membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016021)
GO:0005886 : plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0005886)
GO:0016324 : apical plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016324)
GO:0016020 : membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0016020)
GO:0070062 : extracellular exosome (https://www.ebi.ac.uk/QuickGO/term/GO:0070062)
GO:0005794 : Golgi apparatus (https://www.ebi.ac.uk/QuickGO/term/GO:0005794)
GO:0032991 : protein-containing complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0032991)
GO:0005783 : endoplasmic reticulum
(https://www.ebi.ac.uk/QuickGO/term/GO:0005783)
GO:1903561 : extracellular vesicle (https://www.ebi.ac.uk/QuickGO/term/GO:1903561)
GO:0005768 : endosome (https://www.ebi.ac.uk/QuickGO/term/GO:0005768)
GO:0016323 : basolateral plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016323)
GO:0005901 : caveola (https://www.ebi.ac.uk/QuickGO/term/GO:0005901)
GO:0030315 : T-tubule (https://www.ebi.ac.uk/QuickGO/term/GO:0030315)
GO:0014069 : postsynaptic density (https://www.ebi.ac.uk/QuickGO/term/GO:0014069)

GO:0042470 : melanosome (https://www.ebi.ac.uk/QuickGO/term/GO:0042470)
GO:0014704 : intercalated disc (https://www.ebi.ac.uk/QuickGO/term/GO:0014704)
GO:0043209 : myelin sheath (https://www.ebi.ac.uk/QuickGO/term/GO:0043209)
GO:0042383 : sarcolemma (https://www.ebi.ac.uk/QuickGO/term/GO:0042383)
GO:0005890 : sodium:potassium-exchanging ATPase complex (https://www.ebi.ac.uk/QuickGO/term/GO:0005890)

Presumptive Null

Unknown (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^Unknown^#gephebase-summary-title)

Molecular Type

Unknown (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Unknown^#gephebase-summary-title)

Aberration Type

Unknown (https://www.gephebase.org/search-criteria?/and+Aberration Type=^Unknown^#gephebase-summary-title)

Molecular Details of the Mutation

unknown

Experimental Evidence

Association Mapping (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Association Mapping^#gephebase-summary-title)

Main Reference

A genome-wide SNP genotyping array reveals patterns of global and repeated species-pair divergence in sticklebacks. (2012) (https://pubmed.ncbi.nlm.nih.gov/22197244)

Authors

Jones FC; Chan YF; Schmutz J; Grimwood J; Brady SD; Southwick AM; Absher DM; Myers RM; Reimchen TE; Deagle BE; Schluter D; Kingsley DM

Abstract

Genes underlying repeated adaptive evolution in natural populations are still largely unknown. Stickleback fish (Gasterosteus aculeatus) have undergone a recent dramatic evolutionary radiation, generating numerous examples of marine-freshwater species pairs and a small number of benthic-limnetic species pairs found within single lakes [1]. We have developed a new genome-wide SNP genotyping array to study patterns of genetic variation in sticklebacks over a wide geographic range, and to scan the genome for regions that contribute to repeated evolution of marine-freshwater or benthic-limnetic species pairs. Surveying 34 global populations with 1,159 informative markers revealed substantial genetic variation, with predominant patterns reflecting demographic history and geographic structure. After correcting for geographic structure and filtering for neutral markers, we detected large repeated shifts in allele frequency at some loci, identifying both known and novel loci likely contributing to marine-freshwater and benthic-limnetic divergence. Several novel loci fall close to genes implicated in epithelial barrier or immune functions, which have likely changed as sticklebacks adapt to contrasting environments. Specific alleles differentiating sympatric benthic-limnetic species pairs are shared in nearby solitary populations, suggesting an allopatric origin for adaptive variants and selection pressures unrelated to sympatry in the initial formation of these classic vertebrate species pairs.

Copyright Â© 2012 Elsevier Ltd. All rights reserved.

Additional References

RELATED GEPHE

Related Genes

1 (Mucin gene family) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^69293^/and+Trait=Salt tolerance/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

No matches found.

EXTERNAL LINKS

COMMENTS

Candidate locus ; mapping is not precise enough - Link with phenotype not supported by enough evidence