

## GEPHE SUMMARY

	Gephebase Gene		GepheID
AGAMOUS-LIKE 50 ( <a +agamous-like+50+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=">https://www.gephebase.org/search-criteria?/and+Gene+Gephebase="+AGAMOUS-LIKE+50+"#gephebase-summary-title</a> )		GP00001450	
	Entry Status	Prigent	Main curator
Published			

## PHENOTYPIC CHANGE

	Trait Category		
Morphology ( <a +morphology+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Trait+Category=">https://www.gephebase.org/search-criteria?/and+Trait+Category="+Morphology+"#gephebase-summary-title</a> )			
	Trait		
Leaf number (at flowering time) ( <a +leaf+number+(at+flowering+time)+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Trait=">https://www.gephebase.org/search-criteria?/and+Trait="+Leaf+number+(at+flowering+time)+"#gephebase-summary-title</a> )			
	Trait State in Taxon A		
Arabidopsis thaliana reference (TueWa1-2 & TueScha-9 & Yeg-1) with Leaf Number n=24.9			
	Trait State in Taxon B		
Arabidopsis thaliana nonreference (ICE92 & ICE228 & ICE72) with increased Leaf Number n=35.1			
	Ancestral State		
Unknown			
	Taxonomic Status		
Intraspecific ( <a +intraspecific+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=">https://www.gephebase.org/search-criteria?/and+Taxonomic+Status="+Intraspecific+"#gephebase-summary-title</a> )			
	Taxon A	Taxon B	
	Latin Name		Latin Name
Arabidopsis thaliana ( <a +arabidopsis+thaliana+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=">https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms="+Arabidopsis+thaliana+"#gephebase-summary-title</a> )		Arabidopsis thaliana ( <a +arabidopsis+thaliana+"#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=">https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms="+Arabidopsis+thaliana+"#gephebase-summary-title</a> )	
	Common Name		Common Name
thale cress		thale cress	
	Synonyms		Synonyms
thale cress; mouse-ear cress; thale-cress; Arabidopsis thaliana (L.) Heynh.; Arabidopsis thaliana (thale cress); Arabidopsis_thaliana; Arbisopsis thaliana; thale kress		thale cress; mouse-ear cress; thale-cress; Arabidopsis thaliana (L.) Heynh.; Arabidopsis thaliana (thale cress); Arabidopsis_thaliana; Arbisopsis thaliana; thale kress	
	Rank		Rank
species		species	
	Lineage		Lineage
cellular organisms; Eukaryota; Viridiplantae; Streptophyta; Streptophytina; Embryophyta; Tracheophyta; Euphyllophyta; Spermatophyta; Magnoliophyta; Mesangiospermae; eudicotyledons; Gunneridae; Pentapetalae; rosids; malvids; Brassicales; Brassicaceae; Camelineae; Arabidopsis		cellular organisms; Eukaryota; Viridiplantae; Streptophyta; Streptophytina; Embryophyta; Tracheophyta; Euphyllophyta; Spermatophyta; Magnoliophyta; Mesangiospermae; eudicotyledons; Gunneridae; Pentapetalae; rosids; malvids; Brassicales; Brassicaceae; Camelineae; Arabidopsis	
	Parent		Parent
Arabidopsis () - (Rank: genus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3701">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3701</a> )		Arabidopsis () - (Rank: genus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3701">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3701</a> )	
	NCBI Taxonomy ID		NCBI Taxonomy ID
3702 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3702">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3702</a> )		3702 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3702">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=3702</a> )	
	is Taxon A an Intraspecies?		is Taxon B an Intraspecies?
Yes		Yes	
	Taxon A Description		Taxon B Description
Arabidopsis thaliana reference (TueWa1-2 & TueScha-9 & Yeg-1) with Leaf Number n=24.9		Arabidopsis thaliana nonreference (ICE92 & ICE228 & ICE72) with increased Leaf Number n=35.1	

## GENOTYPIC CHANGE

	Generic Gene Name		UniProtKB Arabidopsis thaliana
AGAMOUS-like 50		Q9XIE7 ( <a href="http://www.uniprot.org/uniprot/Q9XIE7">http://www.uniprot.org/uniprot/Q9XIE7</a> )	
	Synonyms		GenebankID or UniProtKB
AGAMOUS-like 50; F23H11.13; F23H11_13; AGL50; At1g59810		()	
	String		
3702.AT1G59810.1 ( <a href="http://string-db.org/newstring.cgi/show_network_section.pl?identifier=3702.AT1G59810.1">http://string-db.org/newstring.cgi/show_network_section.pl?identifier=3702.AT1G59810.1</a> )			
	Sequence Similarities		
-			
	GO - Molecular Function		
GO:0046983 : protein dimerization activity ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0046983">https://www.ebi.ac.uk/QuickGO/term/GO:0046983</a> )			

GO:0003700 : DNA-binding transcription factor activity  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0003700)  
 GO:0043565 : sequence-specific DNA binding  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0043565)  
 GO:0008134 : transcription factor binding  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0008134)  
 GO:0000982 : transcription factor activity, RNA polymerase II proximal promoter  
 sequence-specific DNA binding (https://www.ebi.ac.uk/QuickGO/term/GO:0000982)  
 GO:0044212 : transcription regulatory region DNA binding  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0044212)  
 GO:0000987 : proximal promoter sequence-specific DNA binding  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0000987)

GO - Biological Process

GO:0007275 : multicellular organism development  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0007275)  
 GO:0045944 : positive regulation of transcription by RNA polymerase II  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0045944)  
 GO:0009909 : regulation of flower development  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0009909)  
 GO:0010048 : vernalization response  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0010048)

GO - Cellular Component

GO:0005634 : nucleus (https://www.ebi.ac.uk/QuickGO/term/GO:0005634)

Presumptive Null

Unknown (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^Unknown^#gephebase-summary-title)

Molecular Type

Unknown (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Unknown^#gephebase-summary-title)

Aberration Type

Unknown (https://www.gephebase.org/search-criteria?/and+Aberration Type=^Unknown^#gephebase-summary-title)

Molecular Details of the Mutation

unknown

Experimental Evidence

Association Mapping (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Association Mapping^#gephebase-summary-title)

Main Reference

Genetic architecture of nonadditive inheritance in Arabidopsis thaliana hybrids. (2016) (https://pubmed.ncbi.nlm.nih.gov/27803326)

Authors

Seymour DK; Chae E; Grimm DG; Martn Pizarro C; Habring-Mller A; Vasseur F; Rakitsch B; Borgwardt KM; Koenig D; Weigel D

Abstract

The ubiquity of nonparental hybrid phenotypes, such as hybrid vigor and hybrid inferiority, has interested biologists for over a century and is of considerable agricultural importance. Although examples of both phenomena have been subject to intense investigation, no general model for the molecular basis of nonadditive genetic variance has emerged, and prediction of hybrid phenotypes from parental information continues to be a challenge. Here we explore the genetics of hybrid phenotype in 435 Arabidopsis thaliana individuals derived from intercrosses of 30 parents in a half diallel mating scheme. We find that nonadditive genetic effects are a major component of genetic variation in this population and that the genetic basis of hybrid phenotype can be mapped using genome-wide association (GWA) techniques. Significant loci together can explain as much as 20% of phenotypic variation in the surveyed population and include examples that have both classical dominant and overdominant effects. One candidate region inherited dominantly in the half diallel contains the gene for the MADS-box transcription factor AGAMOUS-LIKE 50 (AGL50), which we show directly to alter flowering time in the predicted manner. Our study not only illustrates the promise of GWA approaches to dissect the genetic architecture underpinning hybrid performance but also demonstrates the contribution of classical dominance to genetic variance.

Additional References

RELATED GEPHE

No matches found.

Related Genes

No matches found.

Related Haplotypes

EXTERNAL LINKS

COMMENTS

