GEPHE SUMMARY

Gephebase Gene
Na/K-ATPase alpha-subunit (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^Na/K-ATPase alpha-subunit^#gephebase-summary-title)

GepheID
GP00001739

Entry Status
Published

Main curator
Courtier

PHENOTYPIC CHANGE

Trait Category
Physiology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Physiology^#gephebase-summary-title)

Trait
Xenobiotic resistance (cardiac glycosides) (https://www.gephebase.org/search-criteria?/and+Trait=^Xenobiotic resistance (cardiac glycosides)^#gephebase-summary-title)

Trait State in Taxon A
sensitive

Trait State in Taxon B
resistant

Ancestral State
Taxon A

Taxonomic Status
Intergeneric or Higher (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Intergeneric or Higher^#gephebase-summary-title)

Taxon A #1

Latin Name
Jaculus jaculus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Jaculus jaculus^#gephebase-summary-title)

Common Name
lesser Egyptian jerboa

Synonyms
lesser Egyptian jerboa

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Dipodoidea; Dipodidae; Dipodinae; Jaculus

Parent
Jaculus () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 48867)

NCBI Taxonomy ID
51337 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 51337)

is Taxon A an Infraspecies?
No

Taxon B #1

Latin Name
Rattus norvegicus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Rattus norvegicus^#gephebase-summary-title)

Common Name
Norway rat

Synonyms
rat; rats; Norway rat; brown rat; Rattus norvegicus8; Rattus norwegicus

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Rattus

Parent
Rattus () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10114)

NCBI Taxonomy ID
10116 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10116)

is Taxon B an Infraspecies?
No

Taxon A #2

Latin Name
Spermophilus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Spermophilus^#gephebase-summary-title)

Common Name
old world ground squirrels

Synonyms
old world ground squirrels; Spermophilus F. Cuvier, 1825

Rank
genus

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Sciuromorpha; Sciuridae; Xerinae; Marmotini

Parent
Marmotini () - (Rank: tribe) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 337730)

NCBI Taxonomy ID

Taxon B #2

Latin Name
Mus musculus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Mus musculus^#gephebase-summary-title)

Common Name
house mouse

Synonyms
house mouse; mouse; Mus musculus Linnaeus, 1758; mice C57BL/6xCBA/CaJ hybrid

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Parent
Mus () - (Rank: subgenus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 862507)

NCBI Taxonomy ID

9996
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9996)
is Taxon A an Infraspecies?
No

10090
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10090)
is Taxon B an Infraspecies?
No

Taxon B #3

Latin Name
Mesocricetus auratus
(https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Mesocricetus auratus^#gephebase-summary-title)
Common Name
golden hamster
Synonyms
Golden hamsters; Syrian hamsters; golden hamster; Syrian golden hamster; Syrian golden hamsters; Syrian hamster; Mesocricetus auratus Waterhouse, 1839
Rank
species
Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Cricetidae; Cricetinae; Mesocricetus
Parent
Mesocricetus () - (Rank: genus)
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10035)
NCBI Taxonomy ID
10036
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10036)
is Taxon B an Infraspecies?
No

Taxon B #4

Latin Name
Peromyscus maniculatus
(https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Peromyscus maniculatus^#gephebase-summary-title)
Common Name
North American deer mouse
Synonyms
North American deer mouse; Peromyscus maniculatus (Wagner, 1845); MSB Mamm 74965; MSB:collector:Mamm:74965; Peromyscus maniculatis
Rank
species
Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Cricetidae; Neotominae; Peromyscus
Parent
Peromyscus () - (Rank: genus)
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10040)
NCBI Taxonomy ID
10042
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 10042)
is Taxon B an Infraspecies?
No

Taxon B #5

Latin Name
Nannospalax galili
(https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Nannospalax galili^#gephebase-summary-title)
Common Name
Upper Galilee mountains blind mole rat
Synonyms
Nannospalax ehrenbergi galili; Spalax galili; Upper Galilee mountains blind mole rat; Spalax galili Nevo, Ivanitskaya & Beiles 2001
Rank
species
Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi;

Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Spalacidae; Spalacinae; Nannospalax

Parent

Nannospalax (Mediterranean blind mole-rats) - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 30636)

NCBI Taxonomy ID

1026970 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 1026970)

is Taxon B an Infraspecies?

No

GENOTYPIC CHANGE

Generic Gene Name

Atp1a1

Synonyms

Atpa-1; BC010319

String

10090.ENSMUSP00000039657 (http://string-db.org/newstring_cgi/show_network_section.pl?identifier= 10090.ENSMUSP00000039657)

Sequence Similarities

Belongs to the cation transport ATPase (P-type) (TC 3.A.3) family. Type IIC subfamily.

GO - Molecular Function

GO:0005524 : ATP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005524)
GO:0043531 : ADP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043531)
GO:0019901 : protein kinase binding (https://www.ebi.ac.uk/QuickGO/term/GO:0019901)
GO:0043548 : phosphatidylinositol 3-kinase binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043548)
GO:0005391 : sodium:potassium-exchanging ATPase activity (https://www.ebi.ac.uk/QuickGO/term/GO:0005391)
GO:0051087 : chaperone binding (https://www.ebi.ac.uk/QuickGO/term/GO:0051087)
GO:0019904 : protein domain specific binding (https://www.ebi.ac.uk/QuickGO/term/GO:0019904)
GO:0030506 : ankyrin binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030506)
GO:0016791 : phosphatase activity (https://www.ebi.ac.uk/QuickGO/term/GO:0016791)
GO:0030955 : potassium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030955)
GO:0031402 : sodium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0031402)
GO:1990239 : steroid hormone binding (https://www.ebi.ac.uk/QuickGO/term/GO:1990239)

GO - Biological Process

GO:0071383 : cellular response to steroid hormone stimulus (https://www.ebi.ac.uk/QuickGO/term/GO:0071383)
GO:0006813 : potassium ion transport (https://www.ebi.ac.uk/QuickGO/term/GO:0006813)
GO:0006814 : sodium ion transport (https://www.ebi.ac.uk/QuickGO/term/GO:0006814)
GO:0071260 : cellular response to mechanical stimulus (https://www.ebi.ac.uk/QuickGO/term/GO:0071260)
GO:0042493 : response to drug (https://www.ebi.ac.uk/QuickGO/term/GO:0042493)
GO:0008217 : regulation of blood pressure (https://www.ebi.ac.uk/QuickGO/term/GO:0008217)
GO:0015991 : ATP hydrolysis coupled proton transport (https://www.ebi.ac.uk/QuickGO/term/GO:0015991)
GO:0030007 : cellular potassium ion homeostasis (https://www.ebi.ac.uk/QuickGO/term/GO:0030007)
GO:0006883 : cellular sodium ion homeostasis (https://www.ebi.ac.uk/QuickGO/term/GO:0006883)
GO:1990573 : potassium ion import across plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:1990573)
GO:0036376 : sodium ion export across plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0036376)
GO:0090662 : ATP hydrolysis coupled transmembrane transport (https://www.ebi.ac.uk/QuickGO/term/GO:0090662)
GO:0060081 : membrane hyperpolarization (https://www.ebi.ac.uk/QuickGO/term/GO:0060081)
GO:0086009 : membrane repolarization (https://www.ebi.ac.uk/QuickGO/term/GO:0086009)
GO:0031947 : negative regulation of glucocorticoid biosynthetic process (https://www.ebi.ac.uk/QuickGO/term/GO:0031947)
GO:0045822 : negative regulation of heart contraction (https://www.ebi.ac.uk/QuickGO/term/GO:0045822)
GO:0045823 : positive regulation of heart contraction (https://www.ebi.ac.uk/QuickGO/term/GO:0045823)
GO:0045989 : positive regulation of striated muscle contraction (https://www.ebi.ac.uk/QuickGO/term/GO:0045989)
GO:0086004 : regulation of cardiac muscle cell contraction

UniProtKB Mus musculus

Q8VDN2 (http://www.uniprot.org/uniprot/Q8VDN2)

GenebankID or UniProtKB

()

(https://www.ebi.ac.uk/QuickGO/term/GO:0086004)
GO:0002028 : regulation of sodium ion transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0002028)
GO:0002026 : regulation of the force of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0002026)

GO - Cellular Component

GO:0016021 : integral component of membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016021)
GO:0005886 : plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0005886)
GO:0016324 : apical plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0016324)
GO:0016020 : membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0016020)
GO:0045121 : membrane raft (https://www.ebi.ac.uk/QuickGO/term/GO:0045121)
GO:0005794 : Golgi apparatus (https://www.ebi.ac.uk/QuickGO/term/GO:0005794)
GO:0032991 : protein-containing complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0032991)
GO:0005783 : endoplasmic reticulum (https://www.ebi.ac.uk/QuickGO/term/GO:0005783)
GO:0005768 : endosome (https://www.ebi.ac.uk/QuickGO/term/GO:0005768)
GO:0016323 : basolateral plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016323)
GO:0005901 : caveola (https://www.ebi.ac.uk/QuickGO/term/GO:0005901)
GO:0030315 : T-tubule (https://www.ebi.ac.uk/QuickGO/term/GO:0030315)
GO:0014069 : postsynaptic density (https://www.ebi.ac.uk/QuickGO/term/GO:0014069)
GO:0014704 : intercalated disc (https://www.ebi.ac.uk/QuickGO/term/GO:0014704)
GO:0043209 : myelin sheath (https://www.ebi.ac.uk/QuickGO/term/GO:0043209)
GO:0042383 : sarcolemma (https://www.ebi.ac.uk/QuickGO/term/GO:0042383)
GO:0005890 : sodium:potassium-exchanging ATPase complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0005890)

Mutation #1

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Q111R

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Gln	Arg	111

Main Reference

Molecular cloning of three distinct forms of the Na+,K+-ATPase alpha-subunit from rat brain. (1986) (https://pubmed.ncbi.nlm.nih.gov/3028470)

Authors

Shull GE; Greeb J; Lingrel JB

Abstract

Rat brain and kidney cDNA libraries were constructed and screened with a cDNA insert corresponding to the mRNA for the sheep kidney Na+,K+-ATPase catalytic subunit. The alpha-subunit cDNAs isolated from the kidney library were derived from a single class of messenger RNA, and the brain cDNAs were derived from three classes of messenger RNA. The most abundant brain cDNA, which spans 5.1 kilobases, encodes the alpha(+) form of the enzyme. The second most abundant brain cDNA, which spans 3.65 kilobases, is identical with that of the kidney form and therefore encodes the alpha isoform. The third class of cDNA, which spans 3.55 kilobases, was present at low abundance and encodes an isoform of the alpha-subunit, designated alpha III, which has not been identified previously. The complete nucleotide sequence and deduced amino acid sequence for each of the brain and kidney cDNAs have been determined. In addition, we have identified a lysine-rich sequence that may function as a movable, ion-selective gate during cation binding and occlusion and have also identified several amino acid sequence variations that appear to explain some of the well-known species and tissue differences in cardiac glycoside sensitivity.

Additional References

Widespread convergence in toxin resistance by predictable molecular evolution. (2015) (https://pubmed.ncbi.nlm.nih.gov/26372961)

Mutation #2

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

N122D

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Asn	Asp	122

Main Reference

Molecular cloning of three distinct forms of the Na+,K+-ATPase alpha-subunit from rat brain. (1986) (https://pubmed.ncbi.nlm.nih.gov/3028470)

Authors

Shull GE; Greeb J; Lingrel JB

Abstract

Rat brain and kidney cDNA libraries were constructed and screened with a cDNA insert corresponding to the mRNA for the sheep kidney Na+,K+-ATPase catalytic subunit. The alpha-subunit cDNAs isolated from the kidney library were derived from a single class of messenger RNA, and the brain cDNAs were derived from three classes of messenger RNA. The most abundant brain cDNA, which spans 5.1 kilobases, encodes the alpha(+) form of the enzyme. The second most abundant brain cDNA, which spans 3.65 kilobases, is identical with that of the kidney form and therefore encodes the alpha isoform. The third class of cDNA, which spans 3.55 kilobases, was present at low abundance and encodes an isoform of the alpha-subunit, designated alpha III, which has not been identified previously. The complete nucleotide sequence and deduced amino acid sequence for each of the brain and kidney cDNAs have been determined. In addition, we have identified a lysine-rich sequence that may function as a movable, ion-selective gate during cation binding and occlusion and have also identified several amino acid sequence variations that appear to explain some of the well-known species and tissue differences in cardiac glycoside sensitivity.

Additional References

Widespread convergence in toxin resistance by predictable molecular evolution. (2015) (https://pubmed.ncbi.nlm.nih.gov/26372961)

RELATED GEPHE

Related Genes

No matches found.

Related Haplotypes

No matches found.

EXTERNAL LINKS

COMMENTS

@SeveralMutationsWithEffect - Evolution occurred at the basis of the rodent tree (see figure S4 of Ujvari et al. 2015)