

GEPHE SUMMARY

<p>Kit (type III receptor protein-tyrosine kinase) (https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=^Kit+(type+III+receptor+protein-tyrosine+kinase)^#gephebase-summary-title)</p> <p>Published</p>	<p>Gephebase Gene</p> <p>GP00002201</p> <p>Martin</p> <p>Entry Status</p>	<p>GepheID</p> <p>Main curator</p>
---	---	------------------------------------

PHENOTYPIC CHANGE

<p>Morphology (https://www.gephebase.org/search-criteria?/and+Trait+Category=^Morphology^#gephebase-summary-title)</p> <p>Coloration (coat) (https://www.gephebase.org/search-criteria?/and+Trait=^Coloration+(coat)^#gephebase-summary-title)</p> <p>Icelandic</p> <p>Icelandic - white</p> <p>Taxon A</p> <p>Domesticated (https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=^Domesticated^#gephebase-summary-title)</p>	<p>Trait Category</p> <p>Trait</p> <p>Trait State in Taxon A</p> <p>Trait State in Taxon B</p> <p>Ancestral State</p> <p>Taxonomic Status</p>	<p>Taxon A</p> <p>Equus caballus (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=^Equus+caballus^#gephebase-summary-title)</p> <p>horse</p> <p>Equus przewalskii f. caballus; Equus przewalskii forma caballus; horse; domestic horse; equine; Equus caballus Linnaeus, 1758</p> <p>species</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Perissodactyla; Equidae; Equus; Equus</p> <p>Equus () - (Rank: subgenus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=35510)</p> <p>9796 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9796)</p> <p>No</p>	<p>Latin Name</p> <p>Common Name</p> <p>Synonyms</p> <p>Rank</p> <p>Lineage</p> <p>Parent</p> <p>NCBI Taxonomy ID</p> <p>is Taxon A an Infrappecies?</p>	<p>Taxon B</p> <p>Equus caballus (https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=^Equus+caballus^#gephebase-summary-title)</p> <p>horse</p> <p>Equus przewalskii f. caballus; Equus przewalskii forma caballus; horse; domestic horse; equine; Equus caballus Linnaeus, 1758</p> <p>species</p> <p>cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Perissodactyla; Equidae; Equus; Equus</p> <p>Equus () - (Rank: subgenus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=35510)</p> <p>9796 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=9796)</p> <p>No</p>	<p>Latin Name</p> <p>Common Name</p> <p>Synonyms</p> <p>Rank</p> <p>Lineage</p> <p>Parent</p> <p>NCBI Taxonomy ID</p> <p>is Taxon B an Infrappecies?</p>
---	---	---	--	---	--

GENOTYPIC CHANGE

<p>Kit</p> <p>W; Bs; Fdc; Ssm; SCO1; SCO5; SOW3; CD117; c-KIT; Tr-kit; Gsfsc01; Gsfsc05; Gsfscow3; SI</p> <p>10090.ENSMUSP00000005815 (http://string-db.org/newstring.cgi/show_network_section.pl?identifier=10090.ENSMUSP00000005815)</p> <p>Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor subfamily.</p>	<p>Generic Gene Name</p> <p>Synonyms</p> <p>String</p> <p>Sequence Similarities</p> <p>GO - Molecular Function</p>	<p>P05532 (http://www.uniprot.org/uniprot/P05532)</p> <p>()</p> <p>UniProtKB Mus musculus</p> <p>GenebankID or UniProtKB</p>
<p>GO:0004888 : transmembrane signaling receptor activity (https://www.ebi.ac.uk/QuickGO/term/GO:0004888)</p> <p>GO:0005524 : ATP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005524)</p> <p>GO:0042803 : protein homodimerization activity</p>		

(<https://www.ebi.ac.uk/QuickGO/term/GO:0042803>)
GO:0046872 : metal ion binding (<https://www.ebi.ac.uk/QuickGO/term/GO:0046872>)
GO:0002020 : protease binding (<https://www.ebi.ac.uk/QuickGO/term/GO:0002020>)
GO:0004714 : transmembrane receptor protein tyrosine kinase activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0004714>)
GO:0004713 : protein tyrosine kinase activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0004713>)
GO:0019955 : cytokine binding (<https://www.ebi.ac.uk/QuickGO/term/GO:0019955>)
GO:0005020 : stem cell factor receptor activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0005020>)

GO - Biological Process

GO:0043066 : negative regulation of apoptotic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043066>)
GO:0030154 : cell differentiation (<https://www.ebi.ac.uk/QuickGO/term/GO:0030154>)
GO:0043473 : pigmentation (<https://www.ebi.ac.uk/QuickGO/term/GO:0043473>)
GO:0070374 : positive regulation of ERK1 and ERK2 cascade
(<https://www.ebi.ac.uk/QuickGO/term/GO:0070374>)
GO:0035234 : ectopic germ cell programmed cell death
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035234>)
GO:0035162 : embryonic hemopoiesis
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035162>)
GO:0008584 : male gonad development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0008584>)
GO:0001541 : ovarian follicle development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0001541>)
GO:0008284 : positive regulation of cell proliferation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0008284>)
GO:0043406 : positive regulation of MAP kinase activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043406>)
GO:0010628 : positive regulation of gene expression
(<https://www.ebi.ac.uk/QuickGO/term/GO:0010628>)
GO:0043410 : positive regulation of MAPK cascade
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043410>)
GO:0007283 : spermatogenesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0007283>)
GO:0008360 : regulation of cell shape
(<https://www.ebi.ac.uk/QuickGO/term/GO:0008360>)
GO:0048070 : regulation of developmental pigmentation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048070>)
GO:0006468 : protein phosphorylation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006468>)
GO:0060326 : cell chemotaxis (<https://www.ebi.ac.uk/QuickGO/term/GO:0060326>)
GO:0006935 : chemotaxis (<https://www.ebi.ac.uk/QuickGO/term/GO:0006935>)
GO:0048565 : digestive tract development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048565>)
GO:0006954 : inflammatory response
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006954>)
GO:0019221 : cytokine-mediated signaling pathway
(<https://www.ebi.ac.uk/QuickGO/term/GO:0019221>)
GO:0048863 : stem cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048863>)
GO:0048066 : developmental pigmentation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048066>)
GO:0030318 : melanocyte differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0030318>)
GO:0009968 : negative regulation of signal transduction
(<https://www.ebi.ac.uk/QuickGO/term/GO:0009968>)
GO:0046777 : protein autophosphorylation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0046777>)
GO:0030218 : erythrocyte differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0030218>)
GO:0018108 : peptidyl-tyrosine phosphorylation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0018108>)
GO:0097067 : cellular response to thyroid hormone stimulus
(<https://www.ebi.ac.uk/QuickGO/term/GO:0097067>)
GO:1904349 : positive regulation of small intestine smooth muscle contraction
(<https://www.ebi.ac.uk/QuickGO/term/GO:1904349>)
GO:0000187 : activation of MAPK activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0000187>)
GO:0046427 : positive regulation of JAK-STAT cascade
(<https://www.ebi.ac.uk/QuickGO/term/GO:0046427>)
GO:0042531 : positive regulation of tyrosine phosphorylation of STAT protein
(<https://www.ebi.ac.uk/QuickGO/term/GO:0042531>)
GO:0030335 : positive regulation of cell migration
(<https://www.ebi.ac.uk/QuickGO/term/GO:0030335>)
GO:0046686 : response to cadmium ion
(<https://www.ebi.ac.uk/QuickGO/term/GO:0046686>)
GO:0035556 : intracellular signal transduction
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035556>)

GO:0031532 : actin cytoskeleton reorganization
(<https://www.ebi.ac.uk/QuickGO/term/GO:0031532>)

GO:0002371 : dendritic cell cytokine production
(<https://www.ebi.ac.uk/QuickGO/term/GO:0002371>)

GO:0050910 : detection of mechanical stimulus involved in sensory perception of sound
(<https://www.ebi.ac.uk/QuickGO/term/GO:0050910>)

GO:0050673 : epithelial cell proliferation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0050673>)

GO:0038162 : erythropoietin-mediated signaling pathway
(<https://www.ebi.ac.uk/QuickGO/term/GO:0038162>)

GO:0038093 : Fc receptor signaling pathway
(<https://www.ebi.ac.uk/QuickGO/term/GO:0038093>)

GO:0007281 : germ cell development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007281>)

GO:0008354 : germ cell migration (<https://www.ebi.ac.uk/QuickGO/term/GO:0008354>)

GO:0006687 : glycosphingolipid metabolic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006687>)

GO:0035701 : hematopoietic stem cell migration
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035701>)

GO:0030097 : hemopoiesis (<https://www.ebi.ac.uk/QuickGO/term/GO:0030097>)

GO:0002327 : immature B cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0002327>)

GO:0038109 : Kit signaling pathway (<https://www.ebi.ac.uk/QuickGO/term/GO:0038109>)

GO:0030032 : lamellipodium assembly
(<https://www.ebi.ac.uk/QuickGO/term/GO:0030032>)

GO:0002320 : lymphoid progenitor cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0002320>)

GO:0002551 : mast cell chemotaxis (<https://www.ebi.ac.uk/QuickGO/term/GO:0002551>)

GO:0032762 : mast cell cytokine production
(<https://www.ebi.ac.uk/QuickGO/term/GO:0032762>)

GO:0043303 : mast cell degranulation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043303>)

GO:0060374 : mast cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0060374>)

GO:0035855 : megakaryocyte development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035855>)

GO:0097326 : melanocyte adhesion (<https://www.ebi.ac.uk/QuickGO/term/GO:0097326>)

GO:0097324 : melanocyte migration (<https://www.ebi.ac.uk/QuickGO/term/GO:0097324>)

GO:0002573 : myeloid leukocyte differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0002573>)

GO:0002318 : myeloid progenitor cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:0002318>)

GO:0043069 : negative regulation of programmed cell death
(<https://www.ebi.ac.uk/QuickGO/term/GO:0043069>)

GO:1904343 : positive regulation of colon smooth muscle contraction
(<https://www.ebi.ac.uk/QuickGO/term/GO:1904343>)

GO:0051091 : positive regulation of DNA-binding transcription factor activity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0051091>)

GO:0048170 : positive regulation of long-term neuronal synaptic plasticity
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048170>)

GO:0045747 : positive regulation of Notch signaling pathway
(<https://www.ebi.ac.uk/QuickGO/term/GO:0045747>)

GO:0031274 : positive regulation of pseudopodium assembly
(<https://www.ebi.ac.uk/QuickGO/term/GO:0031274>)

GO:0120072 : positive regulation of pyloric antrum smooth muscle contraction
(<https://www.ebi.ac.uk/QuickGO/term/GO:0120072>)

GO:1905065 : positive regulation of vascular smooth muscle cell differentiation
(<https://www.ebi.ac.uk/QuickGO/term/GO:1905065>)

GO:1904251 : regulation of bile acid metabolic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:1904251>)

GO:0009314 : response to radiation (<https://www.ebi.ac.uk/QuickGO/term/GO:0009314>)

GO:0048103 : somatic stem cell division
(<https://www.ebi.ac.uk/QuickGO/term/GO:0048103>)

GO:0035019 : somatic stem cell population maintenance
(<https://www.ebi.ac.uk/QuickGO/term/GO:0035019>)

GO:0007286 : spermatid development
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007286>)

GO:0030217 : T cell differentiation (<https://www.ebi.ac.uk/QuickGO/term/GO:0030217>)

GO:0043586 : tongue development (<https://www.ebi.ac.uk/QuickGO/term/GO:0043586>)

GO:0008542 : visual learning (<https://www.ebi.ac.uk/QuickGO/term/GO:0008542>)

GO - Cellular Component

GO:0005886 : plasma membrane (<https://www.ebi.ac.uk/QuickGO/term/GO:0005886>)

GO:0005737 : cytoplasm (<https://www.ebi.ac.uk/QuickGO/term/GO:0005737>)

GO:0005887 : integral component of plasma membrane
(<https://www.ebi.ac.uk/QuickGO/term/GO:0005887>)

GO:0043235 : receptor complex (<https://www.ebi.ac.uk/QuickGO/term/GO:0043235>)

GO:0005615 : extracellular space (<https://www.ebi.ac.uk/QuickGO/term/GO:0005615>)

GO:0009986 : cell surface (<https://www.ebi.ac.uk/QuickGO/term/GO:0009986>)

GO:0009898 : cytoplasmic side of plasma membrane
 (https://www.ebi.ac.uk/QuickGO/term/GO:0009898)
 GO:0009897 : external side of plasma membrane
 (https://www.ebi.ac.uk/QuickGO/term/GO:0009897)
 GO:0001669 : acrosomal vesicle (https://www.ebi.ac.uk/QuickGO/term/GO:0001669)
 GO:0005911 : cell-cell junction (https://www.ebi.ac.uk/QuickGO/term/GO:0005911)
 GO:0042629 : mast cell granule (https://www.ebi.ac.uk/QuickGO/term/GO:0042629)

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

-

Molecular Details of the Mutation

c.2222-1G>A (putative splicing site)

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	-	-	-

Main Reference

Seven novel KIT mutations in horses with white coat colour phenotypes. (2009) (https://pubmed.ncbi.nlm.nih.gov/19456317)

Authors

Haase B; Brooks SA; Tozaki T; Burger D; Poncet PA; Rieder S; Hasegawa T; Penedo C; Leeb T

Abstract

White coat colour in horses is inherited as a monogenic autosomal dominant trait showing a variable expression of coat depigmentation. Mutations in the KIT gene have previously been shown to cause white coat colour phenotypes in pigs, mice and humans. We recently also demonstrated that four independent mutations in the equine KIT gene are responsible for the dominant white coat colour phenotype in various horse breeds. We have now analysed additional horse families segregating for white coat colour phenotypes and report seven new KIT mutations in independent Thoroughbred, Icelandic Horse, German Holstein, Quarter Horse and South German Draft Horse families. In four of the seven families, only one single white horse, presumably representing the founder for each of the four respective mutations, was available for genotyping. The newly reported mutations comprise two frameshift mutations (c.1126_1129delGAAC; c.2193delG), two missense mutations (c.856G>A; c.1789G>A) and three splice site mutations (c.338-1G>C; c.2222-1G>A; c.2684+1G>A). White phenotypes in horses show a remarkable allelic heterogeneity. In fact, a higher number of alleles are molecularly characterized at the equine KIT gene than for any other known gene in livestock species.

Additional References

RELATED GEPHE

Related Genes

13 (Agouti, Endothelin receptor B, MC1R, MFSD12, Microphthalmia-associated transcription factor, Pax3, PMEL17, SLC24A, SLC36A1, SLC45A2=MATP, syntaxin-17, T-box transcription factor (TBX3), TRPM1) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^9796^/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

28 (https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^Kit (type III receptor protein-tyrosine kinase)^/and+Taxon ID=^9796^/or+Gene Gephebase=^Kit (type III receptor protein-tyrosine kinase)^/and+Taxon ID=^9796^#gephebase-summary-title)

EXTERNAL LINKS

COMMENTS

@AllelicSeries @Splicing https://omia.org/OMIA000209/9796/