GEPHE SUMMARY

Gephebase Gene

Microphtalmia-associated transcription factor (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^Microphtalmia-associated transcription factor^#gephebase-summary-title)

Entry Status

Published

GepheID

GP00002325

Main curator

Martin

PHENOTYPIC CHANGE

Trait Category

Morphology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Morphology^#gephebase-summary-title)

Trait

Coloration (coat) (https://www.gephebase.org/search-criteria?/and+Trait=^Coloration (coat)^#gephebase-summary-title)

Trait State in Taxon A

Equus caballus

Trait State in Taxon B

American Paint Horse with white spotting

Ancestral State

Taxon A

Taxonomic Status

Domesticated (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Domesticated^#gephebase-summary-title)

Taxon A

Latin Name

Equus caballus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Equus caballus^#gephebase-summary-title)

Common Name

horse

Synonyms

Equus przewalskii f. caballus; Equus przewalskii forma caballus; horse; domestic horse; equine; Equus caballus Linnaeus, 1758

Rank

species

Lineage

cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Perissodactyla; Equidae; Equus; Equus

Parent

Equus () - (Rank: subgenus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 35510)

NCBI Taxonomy ID

9796 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9796)

is Taxon A an Infraspecies?

No

Taxon B

Latin Name

Equus caballus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Equus caballus^#gephebase-summary-title)

Common Name

horse

Synonyms

Equus przewalskii f. caballus; Equus przewalskii forma caballus; horse; domestic horse; equine; Equus caballus Linnaeus, 1758

Rank

species

Lineage

cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Perissodactyla; Equidae; Equus; Equus

Parent

Equus () - (Rank: subgenus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 35510)

NCBI Taxonomy ID

9796 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9796)

is Taxon B an Infraspecies?

Yes

Taxon B Description

-

GENOTYPIC CHANGE

Generic Gene Name

Mitf

Synonyms

Wh; bw; mi; vit; BCC2; Bhlhe32; Gsfbcc2; Vitiligo; Bw; Mi; Vit

String

10090.ENSMUSP00000044938 (http://string-db.org/newstring_cgi/show_network_section.pl?identifier=10090.ENSMUSP00000044938)

Sequence Similarities

Belongs to the MiT/TFE family.

GO - Molecular Function

GO:0046983 : protein dimerization activity (https://www.ebi.ac.uk/QuickGO/term/GO:0046983)
GO:0003700 : DNA-binding transcription factor activity

UniProtKB Mus musculus

Q08874 (http://www.uniprot.org/uniprot/Q08874)

GenebankID or UniProtKB

()

(https://www.ebi.ac.uk/QuickGO/term/GO:0003700)
GO:0043565 : sequence-specific DNA binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0043565)
GO:0003677 : DNA binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003677)
GO:0003682 : chromatin binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003682)
GO:0000981 : DNA-binding transcription factor activity, RNA polymerase II-specific
(https://www.ebi.ac.uk/QuickGO/term/GO:0000981)
GO:0001077 : proximal promoter DNA-binding transcription activator activity, RNA
polymerase II-specific (https://www.ebi.ac.uk/QuickGO/term/GO:0001077)
GO:0000978 : RNA polymerase II proximal promoter sequence-specific DNA binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0000978)
GO:0070888 : E-box binding (https://www.ebi.ac.uk/QuickGO/term/GO:0070888)
GO:0003705 : transcription factor activity, RNA polymerase II distal enhancer sequence-
specific binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003705)

GO - Biological Process

GO:0043066 : negative regulation of apoptotic process
(https://www.ebi.ac.uk/QuickGO/term/GO:0043066)
GO:0045944 : positive regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0045944)
GO:0006357 : regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0006357)
GO:0006355 : regulation of transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0006355)
GO:0030154 : cell differentiation (https://www.ebi.ac.uk/QuickGO/term/GO:0030154)
GO:0043473 : pigmentation (https://www.ebi.ac.uk/QuickGO/term/GO:0043473)
GO:0000122 : negative regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0000122)
GO:0045893 : positive regulation of transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0045893)
GO:0010628 : positive regulation of gene expression
(https://www.ebi.ac.uk/QuickGO/term/GO:0010628)
GO:0006351 : transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0006351)
GO:0045165 : cell fate commitment (https://www.ebi.ac.uk/QuickGO/term/GO:0045165)
GO:0010468 : regulation of gene expression
(https://www.ebi.ac.uk/QuickGO/term/GO:0010468)
GO:0030318 : melanocyte differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0030318)
GO:0043010 : camera-type eye development
(https://www.ebi.ac.uk/QuickGO/term/GO:0043010)
GO:0030316 : osteoclast differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0030316)
GO:0042127 : regulation of cell proliferation
(https://www.ebi.ac.uk/QuickGO/term/GO:0042127)
GO:0046849 : bone remodeling (https://www.ebi.ac.uk/QuickGO/term/GO:0046849)
GO:0044336 : canonical Wnt signaling pathway involved in negative regulation of apoptotic
process (https://www.ebi.ac.uk/QuickGO/term/GO:0044336)
GO:0030336 : negative regulation of cell migration
(https://www.ebi.ac.uk/QuickGO/term/GO:0030336)
GO:2000144 : positive regulation of DNA-templated transcription, initiation
(https://www.ebi.ac.uk/QuickGO/term/GO:2000144)
GO:0065003 : protein-containing complex assembly
(https://www.ebi.ac.uk/QuickGO/term/GO:0065003)
GO:0045670 : regulation of osteoclast differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0045670)
GO:2001141 : regulation of RNA biosynthetic process
(https://www.ebi.ac.uk/QuickGO/term/GO:2001141)
GO:0016055 : Wnt signaling pathway
(https://www.ebi.ac.uk/QuickGO/term/GO:0016055)

GO - Cellular Component

GO:0005634 : nucleus (https://www.ebi.ac.uk/QuickGO/term/GO:0005634)
GO:0032991 : protein-containing complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0032991)

Presumptive Null

Yes (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^Yes^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

Deletion (https://www.gephebase.org/search-criteria?/and+Aberration Type=^Deletion^#gephebase-summary-title)

Deletion Size

10-100 kb

Molecular Details of the Mutation

8.7 kb deletion

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

Main Reference

A De Novo MITF Deletion Explains a Novel Splashed White Phenotype in an American Paint Horse. (2020) (https://pubmed.ncbi.nlm.nih.gov/32242630)

Authors

Magdesian KG; Tanaka J; Bellone RR

Abstract

Splashed white is a coat color pattern in horses characterized by extensive white patterning on the legs, belly, and face often accompanied by blue eyes and deafness. Three mutations in microphthalmia-associated transcription factor (MITF) and two mutations in Paired Box 3 (PAX3) have been identified that explain splashed white patterns (SW1-SW5). An American Paint Horse stallion with a splashed white phenotype and blue eyes, whose parents were not white patterned, was negative for the 5 known splashed white variants and other known white spotting alleles. This novel splashed white phenotype (SW6) was hypothesized to be caused by a de novo mutation in MITF or PAX3. Analysis of whole-genome sequencing using the EquCab3.0 reference genome for comparison identified an 8.7 kb deletion in MITF on ECA16 (NC_009159.3:g.21551060-21559770del). The deletion encompassed part of intron 7 through the 3′ UTR of exon 9 of MITF, including the helix-loop-helix DNA-binding domain (ENSECAT00000006375.3). This variant is predicted to truncate protein and impair binding to DNA. Sanger sequencing confirmed the stallion was heterozygous for the MITF deletion. No single nucleotide polymorphisms (SNPs) or structural variants were identified in PAX3 or any of the other candidate genes that were unique to the stallion or predicted to affect protein function. Genotyping five of the stallion's splashed white offspring, including one all white foal, found that they were also heterozygous for the deletion. Given the role of MITF in producing white pattern phenotypes, and the predicted deleterious effect of this mutation, this 8.7 kb deletion is the likely causal variant for SW6.

Â© The American Genetic Association 2020.

Additional References

RELATED GEPHE

Related Genes

13 (Agouti, Endothelin receptor B, Kit (type III receptor protein-tyrosine kinase), MC1R, MFSD12, Pax3, PMEL17, SLC24A, SLC36A1, SLC45A2=MATP, syntaxin-17, T-box transcription factor (TBX3), TRPM1) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^9796^/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

5 (https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^Microphtalmia-associated transcription factor^/and+Taxon ID=^9796^/or+Gene Gephebase=^Microphtalmia-associated transcription factor^/and+Taxon ID=^9796^#gephebase-summary-title)

EXTERNAL LINKS

COMMENTS

@Parallelism @HeterozygoteAdvantage https://omia.org/OMIA000214/9796/