

## GEPHE SUMMARY

para (kdr) ( <a href="https://www.gephebase.org/search-criteria?/and+Gene Gephebase='para (kdr)'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Gene Gephebase='para (kdr)'#gephebase-summary-title</a> )	Gephebase Gene	GP00002520	GepheID
	Entry Status	Courtier	Main curator
Published			

## PHENOTYPIC CHANGE

Trait Category			
Physiology ( <a href="https://www.gephebase.org/search-criteria?/and+Trait Category='Physiology'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Trait Category='Physiology'#gephebase-summary-title</a> )	Trait		
Xenobiotic resistance (insecticide) ( <a href="https://www.gephebase.org/search-criteria?/and+Trait='Xenobiotic resistance (insecticide)'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Trait='Xenobiotic resistance (insecticide)'#gephebase-summary-title</a> )	Trait State in Taxon A		
Aedes aegypti	Trait State in Taxon B		
Aedes aegypti - resistant	Ancestral State		
Taxon A	Taxonomic Status		
Intraspecific ( <a href="https://www.gephebase.org/search-criteria?/and+Taxonomic Status='Intraspecific'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxonomic Status='Intraspecific'#gephebase-summary-title</a> )			
Taxon A	Latin Name	Taxon B	Latin Name
Aedes aegypti ( <a href="https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms='Aedes aegypti'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms='Aedes aegypti'#gephebase-summary-title</a> )		Aedes aegypti ( <a href="https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms='Aedes aegypti'#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms='Aedes aegypti'#gephebase-summary-title</a> )	
yellow fever mosquito	Common Name	yellow fever mosquito	Common Name
Stegomyia aegypti; yellow fever mosquito; Aedes aegypti (Linnaeus, 1762)	Synonyms	Stegomyia aegypti; yellow fever mosquito; Aedes aegypti (Linnaeus, 1762)	Synonyms
species	Rank	species	Rank
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Diptera; Nematocera; Culicomorpha; Culicoidea; Culicidae; Culicinae; Aedini; Aedes; Stegomyia	Lineage	cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Diptera; Nematocera; Culicomorpha; Culicoidea; Culicidae; Culicinae; Aedini; Aedes; Stegomyia	Lineage
Stegomyia () - (Rank: subgenus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 53541">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 53541</a> )	Parent	Stegomyia () - (Rank: subgenus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 53541">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 53541</a> )	Parent
7159 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 7159">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 7159</a> )	NCBI Taxonomy ID	7159 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 7159">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 7159</a> )	NCBI Taxonomy ID
No	is Taxon A an Infraspecies?	No	is Taxon B an Infraspecies?

## GENOTYPIC CHANGE

Generic Gene Name			
para	Synonyms	P35500 ( <a href="http://www.uniprot.org/uniprot/P35500">http://www.uniprot.org/uniprot/P35500</a> )	UniProtKB Drosophila melanogaster
bas; bss; CG9907; Dmel\CG9907; DmNav; DmNav1; DmNa[[v]]; DmNa[[V]]; DmNa[[v]]1; l(1)14Da; l(1)ESHS48; lincRNA.S9469; Nav1; Ocd; olfD; par; sbl; sbl-1; Shu; Shudderer	String	0	GenebankID or UniProtKB
7227.FBpp0303597 ( <a href="http://string-db.org/newstring_cgi/show_network_section.pl?identifier= 7227.FBpp0303597">http://string-db.org/newstring_cgi/show_network_section.pl?identifier= 7227.FBpp0303597</a> )	Sequence Similarities		
Belongs to the sodium channel (TC 1.A.1.10) family. Para subfamily.	GO - Molecular Function		
GO:0005509 : calcium ion binding ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0005509">https://www.ebi.ac.uk/QuickGO/term/GO:0005509</a> )			
GO:0005244 : voltage-gated ion channel activity ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0005244">https://www.ebi.ac.uk/QuickGO/term/GO:0005244</a> )			
GO:0005248 : voltage-gated sodium channel activity ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0005248">https://www.ebi.ac.uk/QuickGO/term/GO:0005248</a> )			
GO:0005272 : sodium channel activity			

(<https://www.ebi.ac.uk/QuickGO/term/GO:0005272>)

GO - Biological Process

GO:0045433 : male courtship behavior, veined wing generated song production

(<https://www.ebi.ac.uk/QuickGO/term/GO:0045433>)

GO:0001666 : response to hypoxia (<https://www.ebi.ac.uk/QuickGO/term/GO:0001666>)

GO:0009612 : response to mechanical stimulus

(<https://www.ebi.ac.uk/QuickGO/term/GO:0009612>)

GO:0034765 : regulation of ion transmembrane transport

(<https://www.ebi.ac.uk/QuickGO/term/GO:0034765>)

GO:0035725 : sodium ion transmembrane transport

(<https://www.ebi.ac.uk/QuickGO/term/GO:0035725>)

GO:0007638 : mechanosensory behavior

(<https://www.ebi.ac.uk/QuickGO/term/GO:0007638>)

GO:0060078 : regulation of postsynaptic membrane potential

(<https://www.ebi.ac.uk/QuickGO/term/GO:0060078>)

GO - Cellular Component

GO:0005887 : integral component of plasma membrane

(<https://www.ebi.ac.uk/QuickGO/term/GO:0005887>)

GO:0001518 : voltage-gated sodium channel complex

(<https://www.ebi.ac.uk/QuickGO/term/GO:0001518>)

Presumptive Null

No (<https://www.gephebase.org/search-criteria?/and+Presumptive+Null=%No%#gephebase-summary-title>)

Molecular Type

Coding (<https://www.gephebase.org/search-criteria?/and+Molecular+Type=%Coding%#gephebase-summary-title>)

Aberration Type

SNP (<https://www.gephebase.org/search-criteria?/and+Aberration+Type=%SNP%#gephebase-summary-title>)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

I101V

Experimental Evidence

Candidate Gene (<https://www.gephebase.org/search-criteria?/and+Experimental+Evidence=%Candidate+Gene%#gephebase-summary-title>)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Ile	Val	1011

Main Reference

A mutation in the voltage-gated sodium channel gene associated with pyrethroid resistance in Latin American *Aedes aegypti*. (2007) (<https://pubmed.ncbi.nlm.nih.gov/18093007>)

Authors

Saavedra-Rodriguez K; Urdaneta-Marquez L; Rajatileka S; Moulton M; Flores AE; Fernandez-Salas I; Bisset J; Rodriguez M; McCall PJ; Donnelly MJ; Ranson H; Hemingway J; Black WC

Abstract

Pyrethroids are commonly used as mosquito adulticides and evolution of resistance to these compounds is a major threat to public health. 'Knockdown resistance' to pyrethroids (kdr) is frequently caused by nonsynonymous mutations in the voltage-gated sodium channel transmembrane protein (para) that reduce pyrethroid binding. Early detection of kdr is critical to the development of resistance management strategies in mosquitoes including *Aedes aegypti*, the most prevalent vector of dengue and yellow fever viruses. Brengues et al. described seven novel mutations in hydrophobic segment 6 of domain II of para in *Ae. aegypti*. Assays on larvae from strains bearing these mutations indicated reduced nerve sensitivity to permethrin inhibition. Two of these occurred in codons Iso1011 and Val1016 in exons 20 and 21 respectively. A transition in the third position of Iso1011 encoded a Met1011 replacement and a transversion in the second position of Val1016 encoded a Gly1016 replacement. We have screened this same region in 1318 mosquitoes in 32 additional strains; 30 from throughout Latin America. While the Gly1016 allele was never detected in Latin America, we found two new mutations in these same codons. A transition in the first position of codon 1011 encodes a Val replacement while a transition in the first position of codon 1016 encodes an Iso replacement. We developed PCR assays for these four mutations that can be read either on an agarose gel or as a melting curve. Selection experiments, one with deltamethrin on a field strain from Santiago de Cuba and another with permethrin on a strain from Isla Mujeres, Mexico rapidly increased the frequency of the Iso1016 allele. Bioassays of F(3) offspring arising from permethrin susceptible Val1016 homozygous parents and permethrin resistant Iso1016 homozygous parents show that Iso1016 segregates as a recessive allele in conferring kdr. Analysis of segregation between alleles at the 1011 and 1016 codons in the F(3) showed a high rate of recombination even though the two codons are only separated by a ~250 bp intron. The tools and information presented provide a means for early detection and characterization of kdr that is critical to the development of strategies for resistance management.

Additional References

Molecular biology of insect sodium channels and pyrethroid resistance. (2014) (<https://pubmed.ncbi.nlm.nih.gov/24704279>)

## RELATED GEPHE

Related Genes

4 (ABCB4, CYP9J26, CYP9M6, resistance to diazinon) (<https://www.gephebase.org/search-criteria?/or+Taxon+ID=%7159%and+Trait=Xenobiotic+resistance/and+groupHaplotypes=true#gephebase-summary-title>)

Related Haplotypes

7 ([https://www.gephebase.org/search-criteria?/or+Gene+Gephebase=%para+\(kdr\)%/and+Taxon+ID=%7159%or+Gene+Gephebase=%para+\(kdr\)%and+Taxon+ID=%7159%#gephebase-summary-title](https://www.gephebase.org/search-criteria?/or+Gene+Gephebase=%para+(kdr)%/and+Taxon+ID=%7159%or+Gene+Gephebase=%para+(kdr)%and+Taxon+ID=%7159%#gephebase-summary-title))

## EXTERNAL LINKS

## COMMENTS