

GEPHE SUMMARY

| | | | |
|--|----------------|------------|--------------|
| | Gephebase Gene | | GepheID |
| Acetylcholinesterase (Ace-1) (https://www.gephebase.org/search-criteria?/and+Gene) | | GP00002571 | |
| Gephebase= [^] Acetylcholinesterase (Ace-1) [^] #gephebase-summary-title) | | | Main curator |
| Published | Entry Status | Courtier | |

PHENOTYPIC CHANGE

| | | | |
|--|-----------------------------|--|-----------------------------|
| | Trait Category | | |
| Physiology (https://www.gephebase.org/search-criteria?/and+Trait) | | | |
| Category= [^] Physiology [^] #gephebase-summary-title) | Trait | | |
| Xenobiotic resistance (insecticide) (https://www.gephebase.org/search-criteria?/and+Trait) | | | |
| criteria= [^] Xenobiotic resistance (insecticide) [^] #gephebase-summary-title) | Trait State in Taxon A | | |
| Tetranychus urticae - sensitive | | | |
| | Trait State in Taxon B | | |
| Tetranychus urticae -resistant | | | |
| | Ancestral State | | |
| Taxon A | | | |
| | Taxonomic Status | | |
| Intraspecific (https://www.gephebase.org/search-criteria?/and+Taxonomic) | | | |
| Status= [^] Intraspecific [^] #gephebase-summary-title) | | | |
| | Taxon A | Taxon B | |
| | Latin Name | | Latin Name |
| Tetranychus urticae | | Tetranychus urticae | |
| (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms= [^] Tetranychus | | (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms= [^] Tetranychus | |
| urticae [^] #gephebase-summary-title) | | urticae [^] #gephebase-summary-title) | |
| | Common Name | | Common Name |
| two-spotted spider mite | | two-spotted spider mite | |
| | Synonyms | | Synonyms |
| two-spotted spider mite; red spider mite; twospotted mite; Tetranychus urticae Koch, 1836 | | two-spotted spider mite; red spider mite; twospotted mite; Tetranychus urticae Koch, 1836 | |
| | Rank | | Rank |
| species | | species | |
| | Lineage | | Lineage |
| cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; | | cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; | |
| Ecdysozoa; Panarthropoda; Arthropoda; Chelicerata; Arachnida; Acari; Acariformes; | | Ecdysozoa; Panarthropoda; Arthropoda; Chelicerata; Arachnida; Acari; Acariformes; | |
| Trombidiformes; Prostigmata; Eleutherengona; Raphignathae; Tetranychoidae; | | Trombidiformes; Prostigmata; Eleutherengona; Raphignathae; Tetranychoidae; | |
| Tetranychidae; Tetranychus | | Tetranychidae; Tetranychus | |
| | Parent | | Parent |
| Tetranychus () - (Rank: genus) | | Tetranychus () - (Rank: genus) | |
| (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=32263) | | (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=32263) | |
| | NCBI Taxonomy ID | | NCBI Taxonomy ID |
| 32264 | | 32264 | |
| (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=32264) | | (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=32264) | |
| | is Taxon A an Intraspecies? | | is Taxon B an Intraspecies? |
| No | | No | |

GENOTYPIC CHANGE

| | | | |
|---|-------------------------|--|-----------------------------------|
| | Generic Gene Name | | UniProtKB Drosophila melanogaster |
| Ace | | P07140 (http://www.uniprot.org/uniprot/P07140) | |
| | Synonyms | | GenebankID or UniProtKB |
| AcChE; ace; ACE; ace-2; ache; AchE; AchE; CG17907; CHE; dAcChE; dmAcChE; | | () | |
| DmAcChE; Dmel\CG17907; Dm_ace; FBgn0000024; l(3)26; l(3)87Ed | | | |
| | String | | |
| 7227.FBpp0289713 | | | |
| (http://string-db.org/newstring.cgi/show_network_section.pl?identifier=7227.FBpp0289713) | | | |
| | Sequence Similarities | | |
| Belongs to the type-B carboxylesterase/lipase family. | | | |
| | GO - Molecular Function | | |
| GO:0042803 : protein homodimerization activity | | | |
| (https://www.ebi.ac.uk/QuickGO/term/GO:0042803) | | | |
| GO:0003990 : acetylcholinesterase activity | | | |
| (https://www.ebi.ac.uk/QuickGO/term/GO:0003990) | | | |
| GO:0004104 : cholinesterase activity (https://www.ebi.ac.uk/QuickGO/term/GO:0004104) | | | |
| GO:0043199 : sulfate binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043199) | | | |

GO - Biological Process

- GO:0006581 : acetylcholine catabolic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006581>)
- GO:0001507 : acetylcholine catabolic process in synaptic cleft
(<https://www.ebi.ac.uk/QuickGO/term/GO:0001507>)
- GO:0007268 : chemical synaptic transmission
(<https://www.ebi.ac.uk/QuickGO/term/GO:0007268>)
- GO:0042426 : choline catabolic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:0042426>)
- GO:0042331 : phototaxis (<https://www.ebi.ac.uk/QuickGO/term/GO:0042331>)

GO - Cellular Component

- GO:0005886 : plasma membrane (<https://www.ebi.ac.uk/QuickGO/term/GO:0005886>)
- GO:0005737 : cytoplasm (<https://www.ebi.ac.uk/QuickGO/term/GO:0005737>)
- GO:0031225 : anchored component of membrane
(<https://www.ebi.ac.uk/QuickGO/term/GO:0031225>)
- GO:0030054 : cell junction (<https://www.ebi.ac.uk/QuickGO/term/GO:0030054>)
- GO:0043083 : synaptic cleft (<https://www.ebi.ac.uk/QuickGO/term/GO:0043083>)

Presumptive Null

No ([#gpepbase-summary-title](https://www.gephebase.org/search-criteria?/and+Presumptive+Null+No))

Molecular Type

Coding ([#gpepbase-summary-title](https://www.gephebase.org/search-criteria?/and+Molecular+Type+Coding))

Aberration Type

SNP ([#gpepbase-summary-title](https://www.gephebase.org/search-criteria?/and+Aberration+Type+SNP))

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

S119G

Experimental Evidence

Candidate Gene ([#gpepbase-summary-title](https://www.gephebase.org/search-criteria?/and+Experimental+Evidence+Candidate+Gene))

| | Taxon A | Taxon B | Position |
|------------|---------|---------|----------|
| Codon | - | - | - |
| Amino-acid | Ser | Gly | 119 |

Main Reference

Sequence of a cDNA encoding acetylcholinesterase from susceptible and resistant two-spotted spider mite, *Tetranychus urticae*. (2003) (<https://pubmed.ncbi.nlm.nih.gov/12706630>)

Authors

Anazawa Y; Tomita T; Aiki Y; Kozaki T; Kono Y

Abstract

Acetylcholinesterase (AChE) from two-spotted spider mites, *Tetranychus urticae* was compared between an organophosphate susceptible (TKD) and a resistant (NCN) strain. The AChE of TKD had lower affinity to acetylthiocholine and propionylthiocholine than that of NCN, and the inhibition of AChE by DDVP, ambenonium, eserine and n-methyl-eserine showed that NCN was more insensitive than TKD. AChE cDNA sequence was determined, and the 687 amino acids of primary structure were deduced. There were six replacements of amino acid residues in TKD and two in NCN. #F331(439)C was the only substitution unique to NCN, however, this mutation existed homozygously in only two out of nine mites. This residue is one of the gorge lining components, and #F331(439)C might act an important role in the sensitivity of AChE to the inhibitors.

Additional References

Genotype to phenotype, the molecular and physiological dimensions of resistance in arthropods. (2015) (<https://pubmed.ncbi.nlm.nih.gov/26047113>)

RELATED GEPHE

Related Genes

8 (Chitin synthase 1 (CHS1), CPR, CYP392A16, CYP392E8, cytochrome b, glutamate-gated chloride channel (GluCl), para (kdr), PSST) (<https://www.gephebase.org/search-criteria?/or+Taxon+ID+32264#/and+Trait=Xenobiotic+resistance#/and+groupHaplotypes=true#gpepbase-summary-title>)

Related Haplotypes

5 ([https://www.gephebase.org/search-criteria?/or+Gene+Gephebase+Acetylcholinesterase+\(Ace-1\)#/and+Taxon+ID+32264#/or+Gene+Gephebase+Acetylcholinesterase+\(Ace-1\)#/and+Taxon+ID+32264#gpepbase-summary-title](https://www.gephebase.org/search-criteria?/or+Gene+Gephebase+Acetylcholinesterase+(Ace-1)#/and+Taxon+ID+32264#/or+Gene+Gephebase+Acetylcholinesterase+(Ace-1)#/and+Taxon+ID+32264#gpepbase-summary-title))

EXTERNAL LINKS

COMMENTS

