

## GEPHE SUMMARY

	Gephebase Gene		GepheID
Acetylcholinesterase (Ace-1) ( <a href="https://www.gephebase.org/search-criteria?/and+Gene">https://www.gephebase.org/search-criteria?/and+Gene</a> )		GP00002581	
Gephebase= <sup>^</sup> Acetylcholinesterase (Ace-1) <sup>^</sup> #gephebase-summary-title			Main curator
Published	Entry Status	Courtier	

## PHENOTYPIC CHANGE

	Trait Category		
Physiology ( <a href="https://www.gephebase.org/search-criteria?/and+Trait">https://www.gephebase.org/search-criteria?/and+Trait</a> )			
Category= <sup>^</sup> Physiology <sup>^</sup> #gephebase-summary-title	Trait		
Xenobiotic resistance (insecticide) ( <a href="https://www.gephebase.org/search-criteria?/and+Trait">https://www.gephebase.org/search-criteria?/and+Trait</a> )			
criteria= <sup>^</sup> Xenobiotic resistance (insecticide) <sup>^</sup> #gephebase-summary-title	Trait State in Taxon A		
Culex pipiens - sensitive			
	Trait State in Taxon B		
Culex pipiens - resistant			
	Ancestral State		
Taxon A			
	Taxonomic Status		
Intraspecific ( <a href="https://www.gephebase.org/search-criteria?/and+Taxonomic">https://www.gephebase.org/search-criteria?/and+Taxonomic</a> )			
Status= <sup>^</sup> Intraspecific <sup>^</sup> #gephebase-summary-title			
	Taxon A	Taxon B	
	Latin Name		Latin Name
Culex pipiens		Culex pipiens	
( <a href="https://www.gephebase.org/search-criteria?/and+Taxon">https://www.gephebase.org/search-criteria?/and+Taxon</a> )		( <a href="https://www.gephebase.org/search-criteria?/and+Taxon">https://www.gephebase.org/search-criteria?/and+Taxon</a> )	
and Synonyms= <sup>^</sup> Culex pipiens <sup>^</sup> #gephebase-summary-title	Common Name	and Synonyms= <sup>^</sup> Culex pipiens <sup>^</sup> #gephebase-summary-title	Common Name
northern house mosquito		northern house mosquito	
	Synonyms		Synonyms
Culex agilis; Culex autogenicus; Culex azoriensis; Culex bicolor; Culex bifurcatus; Culex calcitrans; Culex calloti; Culex comitatus; Culex consobrinus; Culex dipseticus; Culex disjunctus; Culex doliorum; Culex domesticus; Culex erectus; Culex fasciatus; Culex haematophagus; Culex longefurcatus; Culex luteus; Culex marginalis; Culex melanorhinus; Culex meridionalis; Culex osakaensis; Culex pallipes; Culex phytophagus; Culex quasimodestus; Culex rufinus; Culex rufus; Culex sternopunctatus; Culex thoracicus; Culex torridus; Culex trifurcatus; Culex unistriatus; Culex varioannulatus; northern house mosquito; Culex pipiens Linnaeus, 1758		Culex agilis; Culex autogenicus; Culex azoriensis; Culex bicolor; Culex bifurcatus; Culex calcitrans; Culex calloti; Culex comitatus; Culex consobrinus; Culex dipseticus; Culex disjunctus; Culex doliorum; Culex domesticus; Culex erectus; Culex fasciatus; Culex haematophagus; Culex longefurcatus; Culex luteus; Culex marginalis; Culex melanorhinus; Culex meridionalis; Culex osakaensis; Culex pallipes; Culex phytophagus; Culex quasimodestus; Culex rufinus; Culex rufus; Culex sternopunctatus; Culex thoracicus; Culex torridus; Culex trifurcatus; Culex unistriatus; Culex varioannulatus; northern house mosquito; Culex pipiens Linnaeus, 1758	
	Rank		Rank
species		species	
	Lineage		Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Diptera; Nematocera; Culicomorpha; Culicoidea; Culicidae; Culicinae; Culicini; Culex; Culex; Culex pipiens complex		cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Diptera; Nematocera; Culicomorpha; Culicoidea; Culicidae; Culicinae; Culicini; Culex; Culex; Culex pipiens complex	
	Parent		Parent
Culex pipiens complex () - (Rank: no rank)		Culex pipiens complex () - (Rank: no rank)	
( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=518105">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=518105</a> )	NCBI Taxonomy ID	( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=518105">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=518105</a> )	NCBI Taxonomy ID
7175		7175	
( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=7175">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=7175</a> )		( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=7175">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=7175</a> )	
	is Taxon A an Intraspecies?		is Taxon B an Intraspecies?
No		No	

## GENOTYPIC CHANGE

	Generic Gene Name		UniProtKB Drosophila melanogaster
Ace		P07140 ( <a href="http://www.uniprot.org/uniprot/P07140">http://www.uniprot.org/uniprot/P07140</a> )	
	Synonyms		GenebankID or UniProtKB
AcChE; ace; ACE; ace-2; ache; AchE; AChE; CG17907; CHE; dAChE; dmAChE; DmAChE; Dmel\CG17907; Dm_ace; FBgn0000024; l(3)26; l(3)87Ed		()	
	String		
7227.FBpp0289713			
( <a href="http://string-db.org/newstring.cgi/show_network_section.pl?identifier=7227.FBpp0289713">http://string-db.org/newstring.cgi/show_network_section.pl?identifier=7227.FBpp0289713</a> )			
	Sequence Similarities		
Belongs to the type-B carboxylesterase/lipase family.			

GO - Molecular Function

- GO:0042803 : protein homodimerization activity (<https://www.ebi.ac.uk/QuickGO/term/GO:0042803>)
- GO:0003990 : acetylcholinesterase activity (<https://www.ebi.ac.uk/QuickGO/term/GO:0003990>)
- GO:0004104 : cholinesterase activity (<https://www.ebi.ac.uk/QuickGO/term/GO:0004104>)
- GO:0043199 : sulfate binding (<https://www.ebi.ac.uk/QuickGO/term/GO:0043199>)

GO - Biological Process

- GO:0006581 : acetylcholine catabolic process (<https://www.ebi.ac.uk/QuickGO/term/GO:0006581>)
- GO:0001507 : acetylcholine catabolic process in synaptic cleft (<https://www.ebi.ac.uk/QuickGO/term/GO:0001507>)
- GO:0007268 : chemical synaptic transmission (<https://www.ebi.ac.uk/QuickGO/term/GO:0007268>)
- GO:0042426 : choline catabolic process (<https://www.ebi.ac.uk/QuickGO/term/GO:0042426>)
- GO:0042331 : phototaxis (<https://www.ebi.ac.uk/QuickGO/term/GO:0042331>)

GO - Cellular Component

- GO:0005886 : plasma membrane (<https://www.ebi.ac.uk/QuickGO/term/GO:0005886>)
- GO:0005737 : cytoplasm (<https://www.ebi.ac.uk/QuickGO/term/GO:0005737>)
- GO:0031225 : anchored component of membrane (<https://www.ebi.ac.uk/QuickGO/term/GO:0031225>)
- GO:0030054 : cell junction (<https://www.ebi.ac.uk/QuickGO/term/GO:0030054>)
- GO:0043083 : synaptic cleft (<https://www.ebi.ac.uk/QuickGO/term/GO:0043083>)

Presumptive Null

No (<https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title>)

Molecular Type

Coding (<https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title>)

Aberration Type

SNP (<https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title>)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

F290V

Experimental Evidence

Candidate Gene (<https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title>)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	-	-	-

Main Reference

A new amino-acid substitution in acetylcholinesterase 1 confers insecticide resistance to *Culex pipiens* mosquitoes from Cyprus. (2007) (<https://pubmed.ncbi.nlm.nih.gov/17175445>)

Authors

Alout H; Berthomieu A; Hadjivassilis A; Weill M

Abstract

In insects, selection of insecticide-insensitive acetylcholinesterase (AChE) is a very common resistance mechanism. Mosquitoes possess both AChE1 and AChE2 enzymes and insensitivity is conferred by single amino-acid changes located near the active site of the synaptic AChE1. Only two positions have been reported so far to be involved in resistance, suggesting a very high structural constraint of the AChE1 enzyme. In particular, the G119S substitution was selected in several mosquitoes' species and is now largely spread worldwide. Yet, a different type of AChE1 insensitivity was described 10 years ago in a *Culex pipiens* population collected in Cyprus in 1987 and fixed thereafter as the ACE-R strain. We report here the complete amino-acid sequence of the ACE-R AChE1 and show that resistance is associated with a single Phe-to-Val substitution of residue 290, which also lines the active site. Comparison of AChE1 activities of the recombinant F290V protein and ACE-R mosquito extracts confirmed the causal role of the substitution in insensitivity. Biochemical characteristics of the mutated protein indicated that the resistance level varies with the insecticide used. A molecular diagnosis test was designed to detect this mutation and was used to show that it is still present in Cyprus Island.

Additional References

Genotype to phenotype, the molecular and physiological dimensions of resistance in arthropods. (2015) (<https://pubmed.ncbi.nlm.nih.gov/26047113>)

RELATED GEPHE

Related Genes

5 (Cpm1, esterase A8 and B8, esterase B4, esterase B5, para (kdr)) (<https://www.gephebase.org/search-criteria?/or+Taxon ID=^7175^/and+Trait=Xenobiotic resistance/and+groupHaplotypes=true#gephebase-summary-title>)

Related Haplotypes

2 ([https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^Acetylcholinesterase \(Ace-1\)^/and+Taxon ID=^7175^/or+Gene Gephebase=^Acetylcholinesterase \(Ace-1\)^/and+Taxon ID=^7175^#gephebase-summary-title](https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^Acetylcholinesterase (Ace-1)^/and+Taxon ID=^7175^/or+Gene Gephebase=^Acetylcholinesterase (Ace-1)^/and+Taxon ID=^7175^#gephebase-summary-title))

EXTERNAL LINKS

## COMMENTS

@Parallelism