

GEPHE SUMMARY

Gephebase Gene
Acetylcholinesterase (Ace)

Entry Status
Published

GepheID
GP00000039

Main curator
Martin

PHENOTYPIC CHANGE

Trait Category
Physiology

Trait
Xenobiotic resistance (insecticide)

Trait State in Taxon A
Leptinotarsa decemlineata- sensitive

Trait State in Taxon B
Leptinotarsa decemlineata- resistant

Ancestral State
Taxon A

Taxonomic Status
Intraspecific

Taxon A

Latin Name
Leptinotarsa decemlineata

Common Name
Colorado potato beetle

Synonyms
Leptinotarsa decimlineata; Stilodes decemlineata; Colorado potato beetle; Leptinotarsa decemlineata (Say, 1824)

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Coleoptera; Polyphaga; Cucujiformia; Chrysomeloidea; Chrysomelidae; Chrysomelinae; Doryphorini; Leptinotarsa

Parent
Leptinotarsa () - (Rank: genus)

NCBI Taxonomy ID
7539

is Taxon A an Intraspecies?
No

Taxon B

Latin Name
Leptinotarsa decemlineata

Common Name
Colorado potato beetle

Synonyms
Leptinotarsa decimlineata; Stilodes decemlineata; Colorado potato beetle; Leptinotarsa decemlineata (Say, 1824)

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Coleoptera; Polyphaga; Cucujiformia; Chrysomeloidea; Chrysomelidae; Chrysomelinae; Doryphorini; Leptinotarsa

Parent
Leptinotarsa () - (Rank: genus)

NCBI Taxonomy ID
7539

is Taxon B an Intraspecies?
No

GENOTYPIC CHANGE

Generic Gene Name
Ace

Synonyms
AcChE; ace; ACE; ace-2; ache; AchE; AChE; CG17907; CHE; dAChE; dmAChE; DmAChE; Dmel\CG17907; Dm_ace; FBgn0000024; I(3)26; I(3)87E

String
7227.FBpp0289713

Sequence Similarities
Belongs to the type-B carboxylesterase/lipase family.

GO - Molecular Function
GO:0042803 : protein homodimerization activity
GO:0003990 : acetylcholinesterase activity
GO:0004104 : cholinesterase activity
GO:0043199 : sulfatase binding

GO - Biological Process
GO:0006581 : acetylcholine catabolic process
GO:0001507 : acetylcholine catabolic process in synaptic cleft
GO:0007268 : chemical synaptic transmission

UniProtKB Drosophila melanogaster
P07140

GenebankID or UniProtKB
AAB00466

GO:0042426 : choline catabolic process

GO:0042331 : phototaxis

GO - Cellular Component

GO:0005886 : plasma membrane

GO:0005737 : cytoplasm

GO:0031225 : anchored component of membrane

GO:0030054 : cell junction

GO:0043083 : synaptic cleft

Presumptive Null

No

Molecular Type

Coding

Aberration Type

SNP

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Ser->Gly at position 238 of the Torpedo AChE

Experimental Evidence

Candidate Gene

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	-	-	-

Main Reference

[A Point Mutation of Acetylcholinesterase Associated with Azinphosmethyl Resistance and Reduced Fitness in Colorado Potato Beetle. \(1996\)](#)

Authors

Zhu KY; Lee SH; Clark JM

Abstract

A serine to glycine point mutation of acetylcholinesterase (AChE, EC 1.1.1.7) was identified in an azinphosmethyl-resistant strain of Colorado potato beetle [*Leptinotarsa decemlineata* (Say)]. The position of the mutation corresponds to Val 238 of the Torpedo AChE and represents the first amino acid residue to form the alpha-helix, alpha-E'1. The predicted secondary structure of the mutation-containing region of AChE suggested that the transition from the turn to the alpha-helix occurs sooner in the sequence when serine is replaced by glycine. Thus, conformational changes in the AChE due to the alpha-helix deformation were expected to impinge upon both the catalytic and the peripheral binding sites, resulting in the modification of the bindings of organophosphorus insecticides and other ligands to these sites. The mutation appeared to be associated with the fitness of the beetle. The intrinsic rate of increase of the azinphosmethyl-resistant (AZ-R) strain was relatively low when the beetles were reared on the Russet Burbank potato cultivar, but was relatively high when they were reared on the NDA 1725-1 potato cultivar. Because these two potato cultivars contain different amounts of steroidal glycoalkaloids (e.g., alpha-solanine and alpha-chaconine), the different fitness of the AZ-R strain on different potato cultivars may be partially attributed to the increased sensitivity of the azinphosmethyl-resistant form of AChE to the inhibition by alpha-solanine and reduced sensitivity to alpha-chaconine as previously reported.

Additional References

RELATED GEPHE

Related Genes

1 ([para \(kdr\)](#))

Related Haplotypes

1

EXTERNAL LINKS

COMMENTS

