

## GEPHE SUMMARY

hemoglobin; HBA2 ( <a href="https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=~hemoglobin; HBA2^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Gene+Gephebase=~hemoglobin; HBA2^#gephebase-summary-title</a> )	Gephebase Gene	GP00000465	GepheID
Published	Entry Status	Martin	Main curator

## PHENOTYPIC CHANGE

Physiology ( <a href="https://www.gephebase.org/search-criteria?/and+Trait+Category=~Physiology^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Trait+Category=~Physiology^#gephebase-summary-title</a> )	Trait Category		
Hypoxia response ( <a href="https://www.gephebase.org/search-criteria?/and+Trait=~Hypoxia+response^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Trait=~Hypoxia+response^#gephebase-summary-title</a> )	Trait		
Neochen jubata	Trait State in Taxon A		
Chloephaga melanoptera - high altitude	Trait State in Taxon B		
Taxon A	Ancestral State		
Interspecific ( <a href="https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=~Interspecific^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxonomic+Status=~Interspecific^#gephebase-summary-title</a> )	Taxonomic Status		
	Taxon A		Taxon B
Neochen jubata ( <a href="https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Neochen+jubata^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Neochen+jubata^#gephebase-summary-title</a> )	Latin Name	Chloephaga melanoptera ( <a href="https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Chloephaga+melanoptera^#gephebase-summary-title">https://www.gephebase.org/search-criteria?/and+Taxon+and+Synonyms=~Chloephaga+melanoptera^#gephebase-summary-title</a> )	Latin Name
Orinoco goose	Common Name	Andean goose	Common Name
Neochen jubatus; Orinoco goose; Neochen jubata (Spix, 1825)	Synonyms	Andean goose	Synonyms
species	Rank	species	Rank
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Sauropsida; Sauria; Archelosauria; Archosauria; Dinosauria; Saurischia; Theropoda; Coelurosauria; Aves; Neognathae; Galloanserae; Anseriformes; Anatidae; Tadorninae; Neochen	Lineage	cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Sauropsida; Sauria; Archelosauria; Archosauria; Dinosauria; Saurischia; Theropoda; Coelurosauria; Aves; Neognathae; Galloanserae; Anseriformes; Anatidae; Tadorninae; Chloephaga	Lineage
Neochen () - (Rank: genus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8881">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8881</a> )	Parent	Chloephaga () - (Rank: genus) ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8859">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8859</a> )	Parent
8882 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8882">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8882</a> )	NCBI Taxonomy ID	8860 ( <a href="https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8860">https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id=8860</a> )	NCBI Taxonomy ID
No	is Taxon A an Intraspecies?	No	is Taxon B an Intraspecies?

## GENOTYPIC CHANGE

HBAD	Generic Gene Name	P02001 ( <a href="http://www.uniprot.org/uniprot/P02001">http://www.uniprot.org/uniprot/P02001</a> )	UniProtKB Gallus gallus
HBA2; HBAD	Synonyms	()	GenebankID or UniProtKB
9031.ENS GALP00000012054 ( <a href="http://string-db.org/newstring.cgi/show_network_section.pl?identifier=9031.ENS GALP00000012054">http://string-db.org/newstring.cgi/show_network_section.pl?identifier=9031.ENS GALP00000012054</a> )	String		
Belongs to the globin family.	Sequence Similarities		
GO:0020037 : heme binding ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0020037">https://www.ebi.ac.uk/QuickGO/term/GO:0020037</a> )	GO - Molecular Function		
GO:0005506 : iron ion binding ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0005506">https://www.ebi.ac.uk/QuickGO/term/GO:0005506</a> )			
GO:0005344 : oxygen carrier activity ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0005344">https://www.ebi.ac.uk/QuickGO/term/GO:0005344</a> )			
GO:0043177 : organic acid binding ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0043177">https://www.ebi.ac.uk/QuickGO/term/GO:0043177</a> )			
GO:0019825 : oxygen binding ( <a href="https://www.ebi.ac.uk/QuickGO/term/GO:0019825">https://www.ebi.ac.uk/QuickGO/term/GO:0019825</a> )			
	GO - Biological Process		

GO:0098869 : cellular oxidant detoxification  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0098869)  
 GO:0042744 : hydrogen peroxide catabolic process  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0042744)  
 GO:0051291 : protein heterooligomerization  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0051291)

GO - Cellular Component

GO:0031838 : haptoglobin-hemoglobin complex  
 (https://www.ebi.ac.uk/QuickGO/term/GO:0031838)  
 GO:0005833 : hemoglobin complex (https://www.ebi.ac.uk/QuickGO/term/GO:0005833)

Mutation #1

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

Nonsynonymous

Ile10Leu + Val96Ala

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

Presumptive Null

Molecular Type

Aberration Type

SNP Coding Change

Molecular Details of the Mutation

Experimental Evidence

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Ile	Leu	10

Main Reference

Convergent Evolution of Hemoglobin Function in High-Altitude Andean Waterfowl Involves Limited Parallelism at the Molecular Sequence Level. (2015)  
 (https://pubmed.ncbi.nlm.nih.gov/26637114)

Authors

Natarajan C; Projecto-Garcia J; Moriyama H; Weber RE; Muñoz-Fuentes V; Green AJ; Kopuchian C; Tubaro PL; Alza L; Bulgarella M; Smith MM; Wilson RE; Fago A; McCracken KG; Storz JF

Abstract

A fundamental question in evolutionary genetics concerns the extent to which adaptive phenotypic convergence is attributable to convergent or parallel changes at the molecular sequence level. Here we report a comparative analysis of hemoglobin (Hb) function in eight phylogenetically replicated pairs of high- and low-altitude waterfowl taxa to test for convergence in the oxygenation properties of Hb, and to assess the extent to which convergence in biochemical phenotype is attributable to repeated amino acid replacements. Functional experiments on native Hb variants and protein engineering experiments based on site-directed mutagenesis revealed the phenotypic effects of specific amino acid replacements that were responsible for convergent increases in Hb-O<sub>2</sub> affinity in multiple high-altitude taxa. In six of the eight taxon pairs, high-altitude taxa evolved derived increases in Hb-O<sub>2</sub> affinity that were caused by a combination of unique replacements, parallel replacements (involving identical-by-state variants with independent mutational origins in different lineages), and collateral replacements (involving shared, identical-by-descent variants derived via introgressive hybridization). In genome scans of nucleotide differentiation involving high- and low-altitude populations of three separate species, function-altering amino acid polymorphisms in the globin genes emerged as highly significant outliers, providing independent evidence for adaptive divergence in Hb function. The experimental results demonstrate that convergent changes in protein function can occur through multiple historical paths, and can involve multiple possible mutations. Most cases of convergence in Hb function did not involve parallel substitutions and most parallel substitutions did not affect Hb-O<sub>2</sub> affinity, indicating that the repeatability of phenotypic evolution does not require parallelism at the molecular level.

Additional References

Mutation #2

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

Nonsynonymous

Ile10Leu + Val96Ala

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

Presumptive Null

Molecular Type

Aberration Type

SNP Coding Change

Molecular Details of the Mutation

Experimental Evidence

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Val	Ala	96

Main Reference

Convergent Evolution of Hemoglobin Function in High-Altitude Andean Waterfowl Involves Limited Parallelism at the Molecular Sequence Level. (2015)

Natarajan C; Projecto-Garcia J; Moriyama H; Weber RE; Muñoz-Fuentes V; Green AJ; Kopuchian C; Tubaro PL; Alza L; Bulgarella M; Smith MM; Wilson RE; Fago A; McCracken KG; Storz JF

A fundamental question in evolutionary genetics concerns the extent to which adaptive phenotypic convergence is attributable to convergent or parallel changes at the molecular sequence level. Here we report a comparative analysis of hemoglobin (Hb) function in eight phylogenetically replicated pairs of high- and low-altitude waterfowl taxa to test for convergence in the oxygenation properties of Hb, and to assess the extent to which convergence in biochemical phenotype is attributable to repeated amino acid replacements. Functional experiments on native Hb variants and protein engineering experiments based on site-directed mutagenesis revealed the phenotypic effects of specific amino acid replacements that were responsible for convergent increases in Hb-O<sub>2</sub> affinity in multiple high-altitude taxa. In six of the eight taxon pairs, high-altitude taxa evolved derived increases in Hb-O<sub>2</sub> affinity that were caused by a combination of unique replacements, parallel replacements (involving identical-by-state variants with independent mutational origins in different lineages), and collateral replacements (involving shared, identical-by-descent variants derived via introgressive hybridization). In genome scans of nucleotide differentiation involving high- and low-altitude populations of three separate species, function-altering amino acid polymorphisms in the globin genes emerged as highly significant outliers, providing independent evidence for adaptive divergence in Hb function. The experimental results demonstrate that convergent changes in protein function can occur through multiple historical paths, and can involve multiple possible mutations. Most cases of convergence in Hb function did not involve parallel substitutions and most parallel substitutions did not affect Hb-O<sub>2</sub> affinity, indicating that the repeatability of phenotypic evolution does not require parallelism at the molecular level.

## RELATED GEPHE

### Related Genes

1 (hemoglobin; HBB) (<https://www.gephebase.org/search-criteria?/or+Taxon+ID=~8882~/and+Trait=Hypoxia+response/or+Taxon+ID=~8860~/and+Trait=Hypoxia+response/and+groupHaplotypes=true#gephebase-summary-title>)

### Related Haplotypes

No matches found.

## EXTERNAL LINKS

## COMMENTS

Needs curation @SeveralMutationsWithEffect