

hemoglobin; HBB (<a +hemoglobin;="" hbb"+#gephebase-summary-title"="" href="https://www.gephebase.org/search-criteria?/and+GeneGephebase=">https://www.gephebase.org/search-criteria?/and+GeneGephebase="+hemoglobin; HBB"+#gephebase-summary-title)	Gephebase Gene	GP00000475	GepheID
Published	Entry Status	Martin	Main curator

Physiology (#Physiology`#gephebase-summary-title)		Trait Category	
Hypoxia response (#gephebase-summary-title)		Trait	
Neochen jubata		Trait State in Taxon A	
Chloephaga melanoptera - high altitude		Trait State in Taxon B	
Taxon A		Ancestral State	
Interspecific (#gephebase-summary-title)		Taxonomic Status	
Taxon A		Taxon B	
Neochen jubata (#gephebase-summary-title)	Latin Name	Chloephaga melanoptera (#gephebase-summary-title)	Latin Name
Orinoco goose	Common Name	Andean goose	Common Name
Neochen jubatus; Orinoco goose; Neochen jubata (Spix, 1825)	Synonyms	Andean goose	Synonyms
species	Rank	species	Rank
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Sauropsida; Sauria; Archelosauria; Archosauria; Dinosauria; Saurischia; Theropoda; Coelurosauria; Aves; Neognathae; Galloanserae; Anseriformes; Anatidae; Tadorninae; Neochen	Lineage	cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Sauropsida; Sauria; Archelosauria; Archosauria; Dinosauria; Saurischia; Theropoda; Coelurosauria; Aves; Neognathae; Galloanserae; Anseriformes; Anatidae; Tadorninae; Chloephaga	Lineage
Neochen () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 8881)	Parent	Chloephaga () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 8859)	Parent
8882 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 8882)	NCBI Taxonomy ID	8860 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 8860)	NCBI Taxonomy ID
No	is Taxon A an Intraspecies?	No	is Taxon B an Intraspecies?

HBA1	Generic Gene Name	P69905 (http://www.uniprot.org/uniprot/P69905)	UniProtKB Homo sapiens
HBH; ECTY7; HBA-T3; METHBA	Synonyms	0	GenebankID or UniProtKB
9606.ENSPO0000322421 (http://string-db.org/newstring.cgi/show_network_section.pl?identifier=9606.ENSPO0000322421)	String		
	Sequence Similarities		
Belongs to the globin family.			
	GO - Molecular Function		
GO:0020037 : heme binding (https://www.ebi.ac.uk/QuickGO/term/GO:0020037)			
GO:0005506 : iron ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005506)			
GO:0005344 : oxygen carrier activity (https://www.ebi.ac.uk/QuickGO/term/GO:0005344)			
GO:0043177 : organic acid binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043177)			
GO:0019825 : oxygen binding (https://www.ebi.ac.uk/QuickGO/term/GO:0019825)			
	GO - Biological Process		

GO:0006898 : receptor-mediated endocytosis
(<https://www.ebi.ac.uk/QuickGO/term/GO:0006898>)
GO:0042542 : response to hydrogen peroxide
(<https://www.ebi.ac.uk/QuickGO/term/GO:0042542>)
GO:0015701 : bicarbonate transport (<https://www.ebi.ac.uk/QuickGO/term/GO:0015701>)
GO:0098869 : cellular oxidant detoxification
(<https://www.ebi.ac.uk/QuickGO/term/GO:0098869>)
GO:0042744 : hydrogen peroxide catabolic process
(<https://www.ebi.ac.uk/QuickGO/term/GO:0042744>)
GO:0015671 : oxygen transport (<https://www.ebi.ac.uk/QuickGO/term/GO:0015671>)
GO:0010942 : positive regulation of cell death
(<https://www.ebi.ac.uk/QuickGO/term/GO:0010942>)
GO:0051291 : protein heterooligomerization
(<https://www.ebi.ac.uk/QuickGO/term/GO:0051291>)

GO - Cellular Component

GO:0005829 : cytosol (<https://www.ebi.ac.uk/QuickGO/term/GO:0005829>)
GO:0016020 : membrane (<https://www.ebi.ac.uk/QuickGO/term/GO:0016020>)
GO:0070062 : extracellular exosome (<https://www.ebi.ac.uk/QuickGO/term/GO:0070062>)
GO:0005576 : extracellular region (<https://www.ebi.ac.uk/QuickGO/term/GO:0005576>)
GO:0005615 : extracellular space (<https://www.ebi.ac.uk/QuickGO/term/GO:0005615>)
GO:0072562 : blood microparticle (<https://www.ebi.ac.uk/QuickGO/term/GO:0072562>)
GO:0071682 : endocytic vesicle lumen
(<https://www.ebi.ac.uk/QuickGO/term/GO:0071682>)
GO:0022627 : cytosolic small ribosomal subunit
(<https://www.ebi.ac.uk/QuickGO/term/GO:0022627>)
GO:0031838 : haptoglobin-hemoglobin complex
(<https://www.ebi.ac.uk/QuickGO/term/GO:0031838>)
GO:0005833 : hemoglobin complex (<https://www.ebi.ac.uk/QuickGO/term/GO:0005833>)

Mutation #1

Presumptive Null

No (<https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title>)

Molecular Type

Coding (<https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title>)

Aberration Type

SNP (<https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title>)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Thr8Ala + Ile13Val+ Ala77Thr

Experimental Evidence

Candidate Gene (<https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title>)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Thr	Ala	8

Main Reference

Convergent Evolution of Hemoglobin Function in High-Altitude Andean Waterfowl Involves Limited Parallelism at the Molecular Sequence Level. (2015)
(<https://pubmed.ncbi.nlm.nih.gov/26637114>)

Authors

Natarajan C; Projecto-Garcia J; Moriyama H; Weber RE; Muñoz-Fuentes V; Green AJ; Kopuchian C; Tubaro PL; Alza L; Bulgarella M; Smith MM; Wilson RE; Fago A; McCracken KG; Storz JF

Abstract

A fundamental question in evolutionary genetics concerns the extent to which adaptive phenotypic convergence is attributable to convergent or parallel changes at the molecular sequence level. Here we report a comparative analysis of hemoglobin (Hb) function in eight phylogenetically replicated pairs of high- and low-altitude waterfowl taxa to test for convergence in the oxygenation properties of Hb, and to assess the extent to which convergence in biochemical phenotype is attributable to repeated amino acid replacements. Functional experiments on native Hb variants and protein engineering experiments based on site-directed mutagenesis revealed the phenotypic effects of specific amino acid replacements that were responsible for convergent increases in Hb-O2 affinity in multiple high-altitude taxa. In six of the eight taxon pairs, high-altitude taxa evolved derived increases in Hb-O2 affinity that were caused by a combination of unique replacements, parallel replacements (involving identical-by-state variants with independent mutational origins in different lineages), and collateral replacements (involving shared, identical-by-descent variants derived via introgressive hybridization). In genome scans of nucleotide differentiation involving high- and low-altitude populations of three separate species, function-altering amino acid polymorphisms in the globin genes emerged as highly significant outliers, providing independent evidence for adaptive divergence in Hb function. The experimental results demonstrate that convergent changes in protein function can occur through multiple historical paths, and can involve multiple possible mutations. Most cases of convergence in Hb function did not involve parallel substitutions and most parallel substitutions did not affect Hb-O2 affinity, indicating that the repeatability of phenotypic evolution does not require parallelism at the molecular level.

Additional References

Mutation #2

Presumptive Null

No (<https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title>)

Molecular Type

Coding (<https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title>)

Aberration Type

SNP ([https://www.gephebase.org/search-criteria?/and+Aberration Type=~SNP~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Aberration+Type=~SNP~#gephebase-summary-title))

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Thr8Ala + Ile13Val+ Ala77Thr

Experimental Evidence

Candidate Gene ([https://www.gephebase.org/search-criteria?/and+Experimental Evidence=~Candidate Gene~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Experimental+Evidence=~Candidate+Gene~#gephebase-summary-title))

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Ile	Val	13

Main Reference

Convergent Evolution of Hemoglobin Function in High-Altitude Andean Waterfowl Involves Limited Parallelism at the Molecular Sequence Level. (2015)
(<https://pubmed.ncbi.nlm.nih.gov/26637114>)

Authors

Natarajan C; Projecto-Garcia J; Moriyama H; Weber RE; Muñoz-Fuentes V; Green AJ; Kopuchian C; Tubaro PL; Alza L; Bulgarella M; Smith MM; Wilson RE; Fago A; McCracken KG; Storz JF

Abstract

A fundamental question in evolutionary genetics concerns the extent to which adaptive phenotypic convergence is attributable to convergent or parallel changes at the molecular sequence level. Here we report a comparative analysis of hemoglobin (Hb) function in eight phylogenetically replicated pairs of high- and low-altitude waterfowl taxa to test for convergence in the oxygenation properties of Hb, and to assess the extent to which convergence in biochemical phenotype is attributable to repeated amino acid replacements. Functional experiments on native Hb variants and protein engineering experiments based on site-directed mutagenesis revealed the phenotypic effects of specific amino acid replacements that were responsible for convergent increases in Hb-O₂ affinity in multiple high-altitude taxa. In six of the eight taxon pairs, high-altitude taxa evolved derived increases in Hb-O₂ affinity that were caused by a combination of unique replacements, parallel replacements (involving identical-by-state variants with independent mutational origins in different lineages), and collateral replacements (involving shared, identical-by-descent variants derived via introgressive hybridization). In genome scans of nucleotide differentiation involving high- and low-altitude populations of three separate species, function-altering amino acid polymorphisms in the globin genes emerged as highly significant outliers, providing independent evidence for adaptive divergence in Hb function. The experimental results demonstrate that convergent changes in protein function can occur through multiple historical paths, and can involve multiple possible mutations. Most cases of convergence in Hb function did not involve parallel substitutions and most parallel substitutions did not affect Hb-O₂ affinity, indicating that the repeatability of phenotypic evolution does not require parallelism at the molecular level.

Additional References

Mutation #3

Presumptive Null

No ([https://www.gephebase.org/search-criteria?/and+Presumptive Null=~No~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Presumptive+Null=~No~#gephebase-summary-title))

Molecular Type

Coding ([https://www.gephebase.org/search-criteria?/and+Molecular Type=~Coding~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Molecular+Type=~Coding~#gephebase-summary-title))

Aberration Type

SNP ([https://www.gephebase.org/search-criteria?/and+Aberration Type=~SNP~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Aberration+Type=~SNP~#gephebase-summary-title))

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Thr8Ala + Ile13Val+ Ala77Thr

Experimental Evidence

Candidate Gene ([https://www.gephebase.org/search-criteria?/and+Experimental Evidence=~Candidate Gene~#gephebase-summary-title](https://www.gephebase.org/search-criteria?/and+Experimental+Evidence=~Candidate+Gene~#gephebase-summary-title))

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Ala	Thr	77

Main Reference

Convergent Evolution of Hemoglobin Function in High-Altitude Andean Waterfowl Involves Limited Parallelism at the Molecular Sequence Level. (2015)
(<https://pubmed.ncbi.nlm.nih.gov/26637114>)

Authors

Natarajan C; Projecto-Garcia J; Moriyama H; Weber RE; Muñoz-Fuentes V; Green AJ; Kopuchian C; Tubaro PL; Alza L; Bulgarella M; Smith MM; Wilson RE; Fago A; McCracken KG; Storz JF

Abstract

A fundamental question in evolutionary genetics concerns the extent to which adaptive phenotypic convergence is attributable to convergent or parallel changes at the molecular sequence level. Here we report a comparative analysis of hemoglobin (Hb) function in eight phylogenetically replicated pairs of high- and low-altitude waterfowl taxa to test for convergence in the oxygenation properties of Hb, and to assess the extent to which convergence in biochemical phenotype is attributable to repeated amino acid replacements. Functional experiments on native Hb variants and protein engineering experiments based on site-directed mutagenesis revealed the phenotypic effects of specific amino acid replacements that were responsible for convergent increases in Hb-O₂ affinity in multiple high-altitude taxa. In six of the eight taxon pairs, high-altitude taxa evolved derived increases in Hb-O₂ affinity that were caused by a combination of unique replacements, parallel replacements (involving identical-by-state variants with independent mutational origins in different lineages), and collateral replacements (involving shared, identical-by-descent variants derived via introgressive hybridization). In genome scans of nucleotide differentiation involving high- and low-altitude populations of three separate species, function-altering amino acid polymorphisms in the globin genes emerged as highly significant outliers, providing independent evidence for adaptive divergence in Hb function. The experimental results demonstrate that convergent changes in protein function can occur through multiple historical paths, and can involve multiple possible mutations. Most cases of convergence in Hb function did not involve parallel substitutions and most parallel substitutions did not affect Hb-O₂ affinity, indicating that the repeatability of phenotypic evolution does not require parallelism at the molecular level.

Additional References

RELATED GEPHE

Related Genes

1 (hemoglobin; HBA2) (<https://www.gephebase.org/search-criteria?/or+Taxon ID=^8882^/and+Trait=Hypoxia response/or+Taxon ID=^8860^/and+Trait=Hypoxia response/and+groupHaplotypes=true#gephebase-summary-title>)

Related Haplotypes

2 (<https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^hemoglobin; HBB^/and+Taxon ID=^8882^/or+Gene Gephebase=^hemoglobin; HBB^/and+Taxon ID=^8860^#gephebase-summary-title>)

EXTERNAL LINKS

COMMENTS

Needs curation @SeveralMutationsWithEffect