

GEPHE SUMMARY

MC1R (https://www.gephebase.org/search-criteria?/and+GeneGephebase=~MC1R^#gephebase-summary-title)	Gephebase Gene	GP00000635	GepheID
	Entry Status	Martin	Main curator
	Published		

PHENOTYPIC CHANGE

Morphology (https://www.gephebase.org/search-criteria?/and+TraitCategory=~Morphology^#gephebase-summary-title)		Trait Category	
Coloration (skin) (https://www.gephebase.org/search-criteria?/and+Trait=~Coloration(skin)^#gephebase-summary-title)		Trait	
Sus scrofa		Trait State in Taxon A	
Sus scrofa		Trait State in Taxon B	
Data not curated		Ancestral State	
Domesticated (https://www.gephebase.org/search-criteria?/and+TaxonomicStatus=~Domesticated^#gephebase-summary-title)		Taxonomic Status	
Taxon A		Taxon B	
Sus scrofa		Sus scrofa domesticus	
(https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=~Sus scrofa^#gephebase-summary-title)		(https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=~Sus scrofa domesticus^#gephebase-summary-title)	
pig		domestic pig	
pig; pigs; swine; wild boar; Sus scrofa Linnaeus, 1758; Sus scrofus		Sus domestica; Sus domesticus; Sus scrofa domestica; domestic pig	
species		subspecies	
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Cetartiodactyla; Suina; Suidae; Sus		cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Cetartiodactyla; Suina; Suidae; Sus; Sus scrofa	
Sus () - (Rank: genus)		Sus scrofa (pig) - (Rank: species)	
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9822)		(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9823)	
9823		9825	
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9823)		(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9825)	
is Taxon A an Intraspecies?		is Taxon B an Intraspecies?	
No		No	

GENOTYPIC CHANGE

MC1R	Generic Gene Name	Q01726 (http://www.uniprot.org/uniprot/Q01726)	UniProtKB Homo sapiens
	Synonyms	ALU33721 (https://www.ncbi.nlm.nih.gov/nuccore/ALU33721)	GenebankID or UniProtKB
	String		
9606.ENSPP00000451605			
(http://string-db.org/newstring.cgi/show_network_section.pl?identifier=9606.ENSPP00000451605)			
Belongs to the G-protein coupled receptor 1 family.			
GO:0008528 : G protein-coupled peptide receptor activity			
(https://www.ebi.ac.uk/QuickGO/term/GO:0008528)			
GO:0004977 : melanocortin receptor activity			
(https://www.ebi.ac.uk/QuickGO/term/GO:0004977)			
GO:0004980 : melanocyte-stimulating hormone receptor activity			
(https://www.ebi.ac.uk/QuickGO/term/GO:0004980)			
GO:0031625 : ubiquitin protein ligase binding			

(https://www.ebi.ac.uk/QuickGO/term/GO:0031625)

GO - Biological Process

GO:0007275 : multicellular organism development
(https://www.ebi.ac.uk/QuickGO/term/GO:0007275)
GO:0045944 : positive regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0045944)
GO:0042438 : melanin biosynthetic process
(https://www.ebi.ac.uk/QuickGO/term/GO:0042438)
GO:0043473 : pigmentation (https://www.ebi.ac.uk/QuickGO/term/GO:0043473)
GO:0007186 : G protein-coupled receptor signaling pathway
(https://www.ebi.ac.uk/QuickGO/term/GO:0007186)
GO:0051897 : positive regulation of protein kinase B signaling
(https://www.ebi.ac.uk/QuickGO/term/GO:0051897)
GO:0019233 : sensory perception of pain
(https://www.ebi.ac.uk/QuickGO/term/GO:0019233)
GO:0007189 : adenylate cyclase-activating G protein-coupled receptor signaling pathway
(https://www.ebi.ac.uk/QuickGO/term/GO:0007189)
GO:0035556 : intracellular signal transduction
(https://www.ebi.ac.uk/QuickGO/term/GO:0035556)
GO:0007187 : G protein-coupled receptor signaling pathway, coupled to cyclic nucleotide second messenger (https://www.ebi.ac.uk/QuickGO/term/GO:0007187)
GO:0032720 : negative regulation of tumor necrosis factor production
(https://www.ebi.ac.uk/QuickGO/term/GO:0032720)
GO:0010739 : positive regulation of protein kinase A signaling
(https://www.ebi.ac.uk/QuickGO/term/GO:0010739)
GO:0090037 : positive regulation of protein kinase C signaling
(https://www.ebi.ac.uk/QuickGO/term/GO:0090037)
GO:0009650 : UV protection (https://www.ebi.ac.uk/QuickGO/term/GO:0009650)
GO:0070914 : UV-damage excision repair
(https://www.ebi.ac.uk/QuickGO/term/GO:0070914)

GO - Cellular Component

GO:0005886 : plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0005886)
GO:0005887 : integral component of plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0005887)

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

L“99” P Actually 102

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	-	-	-

Main Reference

Melanocortin receptor 1 (MC1R) mutations and coat color in pigs. (1998) (https://pubmed.ncbi.nlm.nih.gov/9799269)

Authors

Kijas JM; Wales R; T  rmsten A; Chardon P; Moller M; Andersson L

Abstract

The melanocortin receptor 1 (MC1R) plays a central role in regulation of eumelanin (black/brown) and phaeomelanin (red/yellow) synthesis within the mammalian melanocyte and is encoded by the classical Extension (E) coat color locus. Sequence analysis of MC1R from seven porcine breeds revealed a total of four allelic variants corresponding to five different E alleles. The European wild boar possessed a unique MC1R allele that we believe is required for the expression of a wild-type coat color. Two different MC1R alleles were associated with the dominant black color in pigs. MC1R*2 was found in European Large Black and Chinese Meishan pigs and exhibited two missense mutations compared with the wild-type sequence. Comparative data strongly suggest that one of these, L99P, may form a constitutively active receptor. MC1R*3 was associated with the black color in the Hampshire breed and involved a single missense mutation D121N. This same MC1R variant was also associated with EP, which results in black spots on a white or red background. Two different missense mutations were identified in recessive red (e/e) animals. One of these, A240T, occurs at a highly conserved position, making it a strong candidate for disruption of receptor function.

Additional References

Detection of genetic diversity and selection at the coding region of the melanocortin receptor 1 (MC1R) gene in Tibetan pigs and Landrace pigs. (2016) (https://pubmed.ncbi.nlm.nih.gov/26431999)

RELATED GEPHE

Related Genes

3 (Agouti, Kit (type III receptor protein-tyrosine kinase), tyrosinase-related protein 1 (TYRP1)) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^9823^/and+Trait=Coloration/or+Taxon ID=^9825^/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title)

EXTERNAL LINKS

COMMENTS