GEPHE SUMMARY

Gephebase Gene

Microphtalmia-associated transcription factor (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^Microphtalmia-associated transcription factor^#gephebase-summary-title)

Entry Status

Published

GepheID

GP00000657

Main curator

Martin

PHENOTYPIC CHANGE

Trait Category

Morphology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Morphology^#gephebase-summary-title)

Trait

Coloration (coat) (https://www.gephebase.org/search-criteria?/and+Trait=^Coloration (coat)^#gephebase-summary-title)

Trait State in Taxon A

Canis familiaris - solid coat

Trait State in Taxon B

Canis familiaris - white boxer

Ancestral State

Taxon A

Taxonomic Status

Domesticated (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Domesticated^#gephebase-summary-title)

Taxon A

Latin Name

Canis lupus (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Canis lupus^#gephebase-summary-title)

Common Name

gray wolf

Synonyms

gray wolf; grey wolf; Canis lupus Linnaeus, 1758

Rank

species

Lineage

cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Carnivora; Caniformia; Canidae; Canis

Parent

Canis () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9611)

NCBI Taxonomy ID

9612 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9612)

is Taxon A an Infraspecies?

Yes

Taxon A Description

Canis familiaris - white boxer

Taxon B

Latin Name

Canis lupus familiaris (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Canis lupus familiaris^#gephebase-summary-title)

Common Name

dog

Synonyms

Canis canis; Canis domesticus; Canis familiaris; dog; dogs; Canis familiaris Linnaeus, 1758; Canis lupus familiaris Linnaeus, 1758

Rank

subspecies

Lineage

cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Deuterostomia; Chordata; Craniata; Vertebrata; Gnathostomata; Teleostomi; Euteleostomi; Sarcopterygii; Dipnotetrapodomorpha; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Boreoeutheria; Laurasiatheria; Carnivora; Caniformia; Canidae; Canis; Canis lupus

Parent

Canis lupus (gray wolf) - (Rank: species) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9612)

NCBI Taxonomy ID

9615 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 9615)

is Taxon B an Infraspecies?

Yes

Taxon B Description

Canis familiaris - solid boxer

GENOTYPIC CHANGE

Generic Gene Name

Mitf

Synonyms

Wh; bw; mi; vit; BCC2; Bhlhe32; Gsfbcc2; Vitiligo; Bw; Mi; Vit

String

10090.ENSMUSP00000044938 (http://string-db.org/newstring_cgi/show_network_section.pl?identifier=10090.ENSMUSP00000044938)

Sequence Similarities

Belongs to the MiT/TFE family.

GO - Molecular Function

GO:0046983 : protein dimerization activity (https://www.ebi.ac.uk/QuickGO/term/GO:0046983)
GO:0003700 : DNA-binding transcription factor activity

UniProtKB Mus musculus

Q08874 (http://www.uniprot.org/uniprot/Q08874)

GenebankID or UniProtKB

()

(https://www.ebi.ac.uk/QuickGO/term/GO:0003700)
GO:0043565 : sequence-specific DNA binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0043565)
GO:0003677 : DNA binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003677)
GO:0003682 : chromatin binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003682)
GO:0000981 : DNA-binding transcription factor activity, RNA polymerase II-specific
(https://www.ebi.ac.uk/QuickGO/term/GO:0000981)
GO:0001077 : proximal promoter DNA-binding transcription activator activity, RNA
polymerase II-specific (https://www.ebi.ac.uk/QuickGO/term/GO:0001077)
GO:0000978 : RNA polymerase II proximal promoter sequence-specific DNA binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0000978)
GO:0070888 : E-box binding (https://www.ebi.ac.uk/QuickGO/term/GO:0070888)
GO:0003705 : transcription factor activity, RNA polymerase II distal enhancer sequence-
specific binding (https://www.ebi.ac.uk/QuickGO/term/GO:0003705)

GO - Biological Process

GO:0043066 : negative regulation of apoptotic process
(https://www.ebi.ac.uk/QuickGO/term/GO:0043066)
GO:0045944 : positive regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0045944)
GO:0006357 : regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0006357)
GO:0006355 : regulation of transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0006355)
GO:0030154 : cell differentiation (https://www.ebi.ac.uk/QuickGO/term/GO:0030154)
GO:0043473 : pigmentation (https://www.ebi.ac.uk/QuickGO/term/GO:0043473)
GO:0000122 : negative regulation of transcription by RNA polymerase II
(https://www.ebi.ac.uk/QuickGO/term/GO:0000122)
GO:0045893 : positive regulation of transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0045893)
GO:0010628 : positive regulation of gene expression
(https://www.ebi.ac.uk/QuickGO/term/GO:0010628)
GO:0006351 : transcription, DNA-templated
(https://www.ebi.ac.uk/QuickGO/term/GO:0006351)
GO:0045165 : cell fate commitment (https://www.ebi.ac.uk/QuickGO/term/GO:0045165)
GO:0010468 : regulation of gene expression
(https://www.ebi.ac.uk/QuickGO/term/GO:0010468)
GO:0030318 : melanocyte differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0030318)
GO:0043010 : camera-type eye development
(https://www.ebi.ac.uk/QuickGO/term/GO:0043010)
GO:0030316 : osteoclast differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0030316)
GO:0042127 : regulation of cell proliferation
(https://www.ebi.ac.uk/QuickGO/term/GO:0042127)
GO:0046849 : bone remodeling (https://www.ebi.ac.uk/QuickGO/term/GO:0046849)
GO:0044336 : canonical Wnt signaling pathway involved in negative regulation of apoptotic
process (https://www.ebi.ac.uk/QuickGO/term/GO:0044336)
GO:0030336 : negative regulation of cell migration
(https://www.ebi.ac.uk/QuickGO/term/GO:0030336)
GO:2000144 : positive regulation of DNA-templated transcription, initiation
(https://www.ebi.ac.uk/QuickGO/term/GO:2000144)
GO:0065003 : protein-containing complex assembly
(https://www.ebi.ac.uk/QuickGO/term/GO:0065003)
GO:0045670 : regulation of osteoclast differentiation
(https://www.ebi.ac.uk/QuickGO/term/GO:0045670)
GO:2001141 : regulation of RNA biosynthetic process
(https://www.ebi.ac.uk/QuickGO/term/GO:2001141)
GO:0016055 : Wnt signaling pathway
(https://www.ebi.ac.uk/QuickGO/term/GO:0016055)

GO - Cellular Component

GO:0005634 : nucleus (https://www.ebi.ac.uk/QuickGO/term/GO:0005634)
GO:0032991 : protein-containing complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0032991)

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Cis-regulatory (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Cis-regulatory^#gephebase-summary-title)

Aberration Type

Deletion (https://www.gephebase.org/search-criteria?/and+Aberration Type=^Deletion^#gephebase-summary-title)

Deletion Size

100-999 bp

Molecular Details of the Mutation

g.21836232_21836427ins>del - this SINE-insertion variant is the first of three possible regulatory variants described by Karlsson et al. (2007). Its genomic location and description were kindly provided by Professor Claire Wade in August 2018. OMIA 000214-9615

Experimental Evidence

Association Mapping (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Association Mapping^#gephebase-summary-title)

Main Reference

Efficient mapping of mendelian traits in dogs through genome-wide association. (2007) (https://pubmed.ncbi.nlm.nih.gov/17906626)

Authors

Karlsson EK; Baranowska I; Wade CM; Salmon Hillbertz NH; Zody MC; Anderson N; Biagi TM; Patterson N; Pielberg GR; Kulbokas EJ; Comstock KE; Keller ET; Mesirov JP; von Euler H; KÃ¤mpe O; Hedhammar A; Lander ES; Andersson G; Andersson L; Lindblad-Toh K

Abstract

With several hundred genetic diseases and an advantageous genome structure, dogs are ideal for mapping genes that cause disease. Here we report the development of a genotyping array with approximately 27,000 SNPs and show that genome-wide association mapping of mendelian traits in dog breeds can be achieved with only approximately 20 dogs. Specifically, we map two traits with mendelian inheritance: the major white spotting (S) locus and the hair ridge in Rhodesian ridgebacks. For both traits, we map the loci to discrete regions of <1 Mb. Fine-mapping of the S locus in two breeds refines the localization to a region of approximately 100 kb contained within the pigmentation-related gene MITF. Complete sequencing of the white and solid haplotypes identifies candidate regulatory mutations in the melanocyte-specific promoter of MITF. Our results show that genome-wide association mapping within dog breeds, followed by fine-mapping across multiple breeds, will be highly efficient and generally applicable to trait mapping, providing insights into canine and human health.

Additional References

A simple repeat polymorphism in the MITF-M promoter is a key regulator of white spotting in dogs. (2014) (https://pubmed.ncbi.nlm.nih.gov/25116146)

RELATED GEPHE

Related Genes

13 (Agouti (ASIP), GPR22, MFSD12, PMEL17, SLC45A2=MATP, FGF3; FGF4; FGF19; ORAOV1, Kit, MC1R, Melanophilin (MLPH), PSMB7, tyrosinase-related protein 1 (TYRP1), beta-defensin 103 (CBD103), RALY (hnRNP associated with lethal yellow)) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^9612^/and+Trait=Coloration/or+Taxon ID=^9615^/and+Trait=Coloration/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

No matches found.

EXTERNAL LINKS

COMMENTS

@Parallelism https://omia.org/OMIA000214/9615/ @HeterozygoteAdvantage due to risk of deafness at the homozygous state