GEPHE SUMMARY

Gephebase Gene
Na/K-ATPase alpha-subunit (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^Na/K-ATPase alpha-subunit^#gephebase-summary-title)

GepheID
GP00000713

Entry Status
Published

Main curator
Martin

PHENOTYPIC CHANGE

Trait Category
Physiology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Physiology^#gephebase-summary-title)

Trait
Xenobiotic resistance (cardiac glycosides) (https://www.gephebase.org/search-criteria?/and+Trait=^Xenobiotic resistance (cardiac glycosides)^#gephebase-summary-title)

Trait State in Taxon A
Other moths

Trait State in Taxon B
Cycnia tenera

Ancestral State
Data not curated

Taxonomic Status
Interspecific (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Interspecific^#gephebase-summary-title)

Taxon A

Latin Name
Lepidoptera (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Lepidoptera^#gephebase-summary-title)

Common Name
butterflies and moths

Synonyms
butterflies and moths; moths

Rank
order

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Amphiesmenoptera

Parent
Amphiesmenoptera () - (Rank: no rank) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 85604)

NCBI Taxonomy ID
7088 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 7088)

is Taxon A an Infraspecies?
No

Taxon B #1

Latin Name
Cycnia tenera (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Cycnia tenera^#gephebase-summary-title)

Common Name
delicate cyncia

Synonyms
delicate cyncia

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Amphiesmenoptera; Lepidoptera; Glossata; Neolepidoptera; Heteroneura; Ditrysia; Obtectomera; Noctuoidea; Erebidae; Arctiinae; Phaegopterini; Cycnia

Parent
Cycnia () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 214109)

NCBI Taxonomy ID
214110 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 214110)

is Taxon B an Infraspecies?
No

Taxon B #2

Latin Name
Lerina incarnata (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Lerina incarnata^#gephebase-summary-title)

Common Name
-

Synonyms
Lerina incarnata Walker, 1854

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Metazoa; Eumetazoa; Bilateria; Protostomia; Ecdysozoa; Panarthropoda; Arthropoda; Mandibulata; Pancrustacea; Hexapoda; Insecta; Dicondylia; Pterygota; Neoptera; Holometabola; Amphiesmenoptera; Lepidoptera; Glossata; Neolepidoptera; Heteroneura; Ditrysia; Obtectomera; Noctuoidea; Erebidae; Arctiinae; Phaegopterini; Lerina

Parent
Lerina () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 695339)

NCBI Taxonomy ID

1206599
(https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 1206599)

is Taxon B an Infraspecies?

No

GENOTYPIC CHANGE

Generic Gene Name

Atp1a1

Synonyms

Atpa-1; BC010319

String

10090.ENSMUSP00000039657
(http://string-db.org/newstring_cgi/show_network_section.pl?identifier=
10090.ENSMUSP00000039657)

Sequence Similarities

Belongs to the cation transport ATPase (P-type) (TC 3.A.3) family. Type IIC subfamily.

GO - Molecular Function

GO:0005524 : ATP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005524)
GO:0043531 : ADP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0043531)
GO:0019901 : protein kinase binding (https://www.ebi.ac.uk/QuickGO/term/GO:0019901)
GO:0043548 : phosphatidylinositol 3-kinase binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0043548)
GO:0005391 : sodium:potassium-exchanging ATPase activity
(https://www.ebi.ac.uk/QuickGO/term/GO:0005391)
GO:0051087 : chaperone binding (https://www.ebi.ac.uk/QuickGO/term/GO:0051087)
GO:0019904 : protein domain specific binding
(https://www.ebi.ac.uk/QuickGO/term/GO:0019904)
GO:0030506 : ankyrin binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030506)
GO:0016791 : phosphatase activity (https://www.ebi.ac.uk/QuickGO/term/GO:0016791)
GO:0030955 : potassium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0030955)
GO:0031402 : sodium ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0031402)
GO:1990239 : steroid hormone binding (https://www.ebi.ac.uk/QuickGO/term/GO:1990239)

GO - Biological Process

GO:0071383 : cellular response to steroid hormone stimulus
(https://www.ebi.ac.uk/QuickGO/term/GO:0071383)
GO:0006813 : potassium ion transport (https://www.ebi.ac.uk/QuickGO/term/GO:0006813)
GO:0006814 : sodium ion transport (https://www.ebi.ac.uk/QuickGO/term/GO:0006814)
GO:0071260 : cellular response to mechanical stimulus
(https://www.ebi.ac.uk/QuickGO/term/GO:0071260)
GO:0042493 : response to drug (https://www.ebi.ac.uk/QuickGO/term/GO:0042493)
GO:0008217 : regulation of blood pressure
(https://www.ebi.ac.uk/QuickGO/term/GO:0008217)
GO:0015991 : ATP hydrolysis coupled proton transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0015991)
GO:0030007 : cellular potassium ion homeostasis
(https://www.ebi.ac.uk/QuickGO/term/GO:0030007)
GO:0006883 : cellular sodium ion homeostasis
(https://www.ebi.ac.uk/QuickGO/term/GO:0006883)
GO:1990573 : potassium ion import across plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:1990573)
GO:0036376 : sodium ion export across plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0036376)
GO:0090662 : ATP hydrolysis coupled transmembrane transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0090662)
GO:0060081 : membrane hyperpolarization
(https://www.ebi.ac.uk/QuickGO/term/GO:0060081)
GO:0086009 : membrane repolarization
(https://www.ebi.ac.uk/QuickGO/term/GO:0086009)
GO:0031947 : negative regulation of glucocorticoid biosynthetic process
(https://www.ebi.ac.uk/QuickGO/term/GO:0031947)
GO:0045822 : negative regulation of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045822)
GO:0045823 : positive regulation of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045823)
GO:0045989 : positive regulation of striated muscle contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0045989)
GO:0086004 : regulation of cardiac muscle cell contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0086004)
GO:0002028 : regulation of sodium ion transport
(https://www.ebi.ac.uk/QuickGO/term/GO:0002028)
GO:0002026 : regulation of the force of heart contraction
(https://www.ebi.ac.uk/QuickGO/term/GO:0002026)

GO - Cellular Component

GO:0016021 : integral component of membrane

UniProtKB Mus musculus

Q8VDN2 (http://www.uniprot.org/uniprot/Q8VDN2)

GenebankID or UniProtKB

()

(https://www.ebi.ac.uk/QuickGO/term/GO:0016021)
GO:0005886 : plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0005886)
GO:0016324 : apical plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0016324)
GO:0016020 : membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0016020)
GO:0045121 : membrane raft (https://www.ebi.ac.uk/QuickGO/term/GO:0045121)
GO:0005794 : Golgi apparatus (https://www.ebi.ac.uk/QuickGO/term/GO:0005794)
GO:0032991 : protein-containing complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0032991)
GO:0005783 : endoplasmic reticulum (https://www.ebi.ac.uk/QuickGO/term/GO:0005783)
GO:0005768 : endosome (https://www.ebi.ac.uk/QuickGO/term/GO:0005768)
GO:0016323 : basolateral plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016323)
GO:0005901 : caveola (https://www.ebi.ac.uk/QuickGO/term/GO:0005901)
GO:0030315 : T-tubule (https://www.ebi.ac.uk/QuickGO/term/GO:0030315)
GO:0014069 : postsynaptic density (https://www.ebi.ac.uk/QuickGO/term/GO:0014069)
GO:0014704 : intercalated disc (https://www.ebi.ac.uk/QuickGO/term/GO:0014704)
GO:0043209 : myelin sheath (https://www.ebi.ac.uk/QuickGO/term/GO:0043209)
GO:0042383 : sarcolemma (https://www.ebi.ac.uk/QuickGO/term/GO:0042383)
GO:0005890 : sodium:potassium-exchanging ATPase complex
(https://www.ebi.ac.uk/QuickGO/term/GO:0005890)

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Q111L

Experimental Evidence

Candidate Gene (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Candidate Gene^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	Gln	Leu	111

Main Reference

Parallel molecular evolution in an herbivore community. (2012) (https://pubmed.ncbi.nlm.nih.gov/23019645)

Authors

Zhen Y; Aardema ML; Medina EM; Schumer M; Andolfatto P

Abstract

Numerous insects have independently evolved the ability to feed on plants that produce toxic secondary compounds called cardenolides and can sequester these compounds for use in their defense. We surveyed the protein target for cardenolides, the alpha subunit of the sodium pump, Na(+),K(+)-ATPase (ATPÎ±), in 14 species that feed on cardenolide-producing plants and 15 outgroups spanning three insect orders. Despite the large number of potential targets for modulating cardenolide sensitivity, amino acid substitutions associated with host-plant specialization are highly clustered, with many parallel substitutions. Additionally, we document four independent duplications of ATPÎ± with convergent tissue-specific expression patterns. We find that unique substitutions are disproportionately associated with recent duplications relative to parallel substitutions. Together, these findings support the hypothesis that adaptation tends to take evolutionary paths that minimize negative pleiotropy.

Additional References

Widespread convergence in toxin resistance by predictable molecular evolution. (2015) (https://pubmed.ncbi.nlm.nih.gov/26372961)

RELATED GEPHE

Related Genes

25 (ABCA2, Aminopeptidase N (APN), cadherin, CYP337B3, Ha_BtR, para (kdr), tetraspanin, ABCC2, Acetylcholinesterase (Ace-1), Chitin synthase 1 (CHS1), CYP6BG1, FMO2, glutamate-gated chloride channel (GluCl), MAP4K4, nAChR, resistance to dieldrin, RYR, CYP321A8, CYP9A186, GSTe, CYP9A, CYP6AB3, CYP6B1, CYP6B4, FMO1) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^7088^/and+Trait=Xenobiotic resistance/or+Taxon ID=^214110^/and+Trait=Xenobiotic resistance/or+Taxon ID=^1206599^/and+Trait=Xenobiotic resistance/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

2 (https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^Na/K-ATPase alpha-subunit^/and+Taxon ID=^7088^/or+Gene Gephebase=^Na/K-ATPase alpha-subunit^/and+Taxon ID=^214110^/or+Gene Gephebase=^Na/K-ATPase alpha-subunit^/and+Taxon ID=^1206599^#gephebase-summary-title)

EXTERNAL LINKS

COMMENTS

The Q111L mutation may have occurred in a past ancestor (see Figure S6 of Ujvari et al. 2015)