GEPHE SUMMARY

Gephebase Gene
PMA1 (https://www.gephebase.org/search-criteria?/and+Gene Gephebase=^PMA1^#gephebase-summary-title)

GepheID
GP00000908

Entry Status
Published

Main curator
Martin

PHENOTYPIC CHANGE

Trait Category
Physiology (https://www.gephebase.org/search-criteria?/and+Trait Category=^Physiology^#gephebase-summary-title)

Trait
Salt tolerance (experimental evolution) (https://www.gephebase.org/search-criteria?/and+Trait=^Salt tolerance (experimental evolution)^#gephebase-summary-title)

Trait State in Taxon A
Saccharomyces cerevisiae

Trait State in Taxon B
Saccharomyces cerevisiae - after 500 generations of selective pressure

Ancestral State
Taxon A

Taxonomic Status
Experimental Evolution (https://www.gephebase.org/search-criteria?/and+Taxonomic Status=^Experimental Evolution^#gephebase-summary-title)

Taxon A

Latin Name
Saccharomyces cerevisiae (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Saccharomyces cerevisiae^#gephebase-summary-title)

Common Name
baker's yeast

Synonyms
Saccharomyces capensis; Saccharomyces italicus; Saccharomyces oviformis; Saccharomyces uvarum var. melibiosus; baker's yeast; S. cerevisiae; brewer's yeast; ATCC 18824; ATCC:18824; CBS 1171; CBS:1171; NRRL Y-12632; NRRL:Y:12632; Saccaromyces cerevisiae; Saccharomyce cerevisiae; Saccharomyes cerevisiae; Sccharomyces cerevisiae

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Fungi; Dikarya; Ascomycota; saccharomyceta; Saccharomycotina; Saccharomycetes; Saccharomycetales; Saccharomycetaceae; Saccharomyces

Parent
Saccharomyces () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 4930)

NCBI Taxonomy ID
4932 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 4932)

is Taxon A an Infraspecies?
No

Taxon B

Latin Name
Saccharomyces cerevisiae (https://www.gephebase.org/search-criteria?/and+Taxon and Synonyms=^Saccharomyces cerevisiae^#gephebase-summary-title)

Common Name
baker's yeast

Synonyms
Saccharomyces capensis; Saccharomyces italicus; Saccharomyces oviformis; Saccharomyces uvarum var. melibiosus; baker's yeast; S. cerevisiae; brewer's yeast; ATCC 18824; ATCC:18824; CBS 1171; CBS:1171; NRRL Y-12632; NRRL:Y:12632; Saccaromyces cerevisiae; Saccharomyce cerevisiae; Saccharomyes cerevisiae; Sccharomyces cerevisiae

Rank
species

Lineage
cellular organisms; Eukaryota; Opisthokonta; Fungi; Dikarya; Ascomycota; saccharomyceta; Saccharomycotina; Saccharomycetes; Saccharomycetales; Saccharomycetaceae; Saccharomyces

Parent
Saccharomyces () - (Rank: genus) (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 4930)

NCBI Taxonomy ID
4932 (https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?id= 4932)

is Taxon B an Infraspecies?
No

GENOTYPIC CHANGE

Generic Gene Name
PMA1

Synonyms
KTI10; YGL008C

String
4932.YGL008C (http://string-db.org/newstring_cgi/show_network_section.pl?identifier= 4932.YGL008C)

Sequence Similarities
Belongs to the cation transport ATPase (P-type) (TC 3.A.3) family. Type IIIA subfamily.

GO - Molecular Function
GO:0005524 : ATP binding (https://www.ebi.ac.uk/QuickGO/term/GO:0005524)
GO:0046872 : metal ion binding (https://www.ebi.ac.uk/QuickGO/term/GO:0046872)
GO:0008553 : proton-exporting ATPase activity, phosphorylative mechanism (https://www.ebi.ac.uk/QuickGO/term/GO:0008553)

GO - Biological Process
GO:0055085 : transmembrane transport

UniProtKB Saccharomyces cerevisiae (strain ATCC 204508 / S288c)
P05030 (http://www.uniprot.org/uniprot/P05030)

GenebankID or UniProtKB
X03534 (https://www.ncbi.nlm.nih.gov/nuccore/X03534)

(https://www.ebi.ac.uk/QuickGO/term/GO:0055085)
GO:0006885 : regulation of pH (https://www.ebi.ac.uk/QuickGO/term/GO:0006885)
GO:1902906 : proteasome storage granule assembly
(https://www.ebi.ac.uk/QuickGO/term/GO:1902906)
GO:0120029 : proton export across plasma membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0120029)
GO:1902600 : proton transmembrane transport
(https://www.ebi.ac.uk/QuickGO/term/GO:1902600)
GO:0051453 : regulation of intracellular pH
(https://www.ebi.ac.uk/QuickGO/term/GO:0051453)

GO - Cellular Component

GO:0016021 : integral component of membrane
(https://www.ebi.ac.uk/QuickGO/term/GO:0016021)
GO:0005886 : plasma membrane (https://www.ebi.ac.uk/QuickGO/term/GO:0005886)
GO:0045121 : membrane raft (https://www.ebi.ac.uk/QuickGO/term/GO:0045121)

Presumptive Null

No (https://www.gephebase.org/search-criteria?/and+Presumptive Null=^No^#gephebase-summary-title)

Molecular Type

Coding (https://www.gephebase.org/search-criteria?/and+Molecular Type=^Coding^#gephebase-summary-title)

Aberration Type

SNP (https://www.gephebase.org/search-criteria?/and+Aberration Type=^SNP^#gephebase-summary-title)

SNP Coding Change

Nonsynonymous

Molecular Details of the Mutation

Iso564Thr

Experimental Evidence

Association Mapping (https://www.gephebase.org/search-criteria?/and+Experimental Evidence=^Association Mapping^#gephebase-summary-title)

	Taxon A	Taxon B	Position
Codon	-	-	-
Amino-acid	-	-	-

Main Reference

The underlying structure of adaptation under strong selection in 12 experimental yeast populations. (2014) (https://pubmed.ncbi.nlm.nih.gov/25016004)

Authors

Kohn LM; Anderson JB

Abstract

The aims of this study were to determine (i) whether adaptation under strong selection occurred through mutations in a narrow target of one or a few nucleotide sites or a broad target of numerous sites and (ii) whether the programs of adaptation previously observed from three experimental populations were unique or shared among populations that underwent parallel evolution. We used archived population samples from a previous study, representing 500 generations of experimental evolution in 12 populations under strong selection, 6 populations in a high-salt environment and 6 populations in a low-glucose environment. Each set of six populations included four with sexual reproduction and two with exclusively asexual reproduction. Populations were sampled as resequenced genomes of 115 individuals and as bulk samples from which frequencies of mutant alleles were estimated. In a high-salt environment, a broad target of 11 mutations within the proton exporter, PMA1, was observed among the six populations, in addition to expansions of the ENA gene cluster. This pattern was shared among populations that underwent parallel evolution. In a low-glucose environment, two programs of adaptation were observed. The originally observed pattern of mutation in MDS3/MKT1 in population M8 was a narrow target of a single nucleotide, unique to this population. Among the other five populations, the three mutations were shared in a broad target, sensing/signaling genes RAS1 and RAS2. RAS1/RAS2 mutations were not observed in the high-salt populations; PMA1 mutations were observed only in a high-salt environment.

Copyright Â© 2014, American Society for Microbiology. All Rights Reserved.

Additional References

RELATED GEPHE

Related Genes

4 (CYC8, ENA1-2-5 cluster, TRK1, MEP2) (https://www.gephebase.org/search-criteria?/or+Taxon ID=^4932^/and+Trait=Salt tolerance/and+groupHaplotypes=true#gephebase-summary-title)

Related Haplotypes

10 (https://www.gephebase.org/search-criteria?/or+Gene Gephebase=^PMA1^/and+Taxon ID=^4932^/or+Gene Gephebase=^PMA1^/and+Taxon ID=^4932^#gephebase-summary-title)

EXTERNAL LINKS

COMMENTS

PMID 25016004 includes nucleotidic changes